

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptasjl1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 08	CHEMLIST enhanced with New Zealand Inventory of Chemicals
NEWS	3	JAN 16	CA/Caplus Company Name Thesaurus enhanced and reloaded
NEWS	4	JAN 16	IPC version 2007.01 thesaurus available on STN
NEWS	5	JAN 16	WPIDS/WPINDEX/WPIX enhanced with IPC 8 reclassification data
NEWS	6	JAN 22	CA/Caplus updated with revised CAS roles
NEWS	7	JAN 22	CA/Caplus enhanced with patent applications from India
NEWS	8	JAN 29	PHAR reloaded with new search and display fields
NEWS	9	JAN 29	CAS Registry Number crossover limit increased to 300,000 in multiple databases
NEWS	10	FEB 15	PATDPASPC enhanced with Drug Approval numbers
NEWS	11	FEB 15	RUSSIAPAT enhanced with pre-1994 records
NEWS	12	FEB 23	KOREAPAT enhanced with IPC 8 features and functionality
NEWS	13	FEB 26	MEDLINE reloaded with enhancements
NEWS	14	FEB 26	EMBASE enhanced with Clinical Trial Number field
NEWS	15	FEB 26	TOXCENTER enhanced with reloaded MEDLINE
NEWS	16	FEB 26	IFICDB/IFIPAT/IFIUDB reloaded with enhancements
NEWS	17	FEB 26	CAS Registry Number crossover limit increased from 10,000 to 300,000 in multiple databases
NEWS	18	MAR 15	WPIDS/WPIX enhanced with new FRAGHITSTR display format
NEWS	19	MAR 16	CASREACT coverage extended
NEWS	20	MAR 20	MARPAT now updated daily
NEWS	21	MAR 22	LWPI reloaded
NEWS	22	MAR 30	RDISCLOSURE reloaded with enhancements
NEWS	23	APR 02	JICST-EPLUS removed from database clusters and STN
NEWS	24	APR 30	GENBANK reloaded and enhanced with Genome Project ID field
NEWS	25	APR 30	CHEMCATS enhanced with 1.2 million new records
NEWS	26	APR 30	CA/Caplus enhanced with 1870-1889 U.S. patent records
NEWS	27	APR 30	INPADOC replaced by INPADOCDB on STN
NEWS	28	MAY 01	New CAS web site launched
NEWS	29	MAY 08	CA/Caplus Indian patent publication number format defined
NEWS	30	MAY 14	RDISCLOSURE on STN Easy enhanced with new search and display fields
NEWS EXPRESS		NOVEMBER 10	CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.
NEWS HOURS			STN Operating Hours Plus Help Desk Availability
NEWS LOGIN			Welcome Banner and News Items
NEWS IPC8			For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may

result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 06:49:26 ON 21 MAY 2007

=> act inc553394/a

THIS COMMAND NOT AVAILABLE IN THE CURRENT FILE

Some commands only work in certain files. For example, the EXPAND command can only be used to look at the index in a file which has an index. Enter "HELP COMMANDS" at an arrow prompt (=>) for a list of commands which can be used in this file.

=> fil reg

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'REGISTRY' ENTERED AT 06:49:47 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 American Chemical Society (ACS)

Property values tagged with IC are from the ZIC/VINITI data file provided by InfoChem.

STRUCTURE FILE UPDATES: 18 MAY 2007 HIGHEST RN 935394-90-4

DICTIONARY FILE UPDATES: 18 MAY 2007 HIGHEST RN 935394-90-4

New CAS Information Use Policies, enter HELP USAGETERMS for details.

TSCA INFORMATION NOW CURRENT THROUGH December 2, 2006

Please note that search-term pricing does apply when conducting SmartSELECT searches.

REGISTRY includes numerically searchable data for experimental and predicted properties as well as tags indicating availability of experimental property data in the original document. For information on property searching in REGISTRY, refer to:

<http://www.cas.org/support/stngen/stndoc/properties.html>

=> act inc553394/a

L1 STR

L2 804 SEA FILE=REGISTRY SSS FUL L1

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-interm6B.str

L3 STRUCTURE UPLOADED

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-interm6.str

L4 STRUCTURE UPLOADED

=> s l4 sub=l2 sss full

FULL SUBSET SEARCH INITIATED 06:51:04 FILE 'REGISTRY'

FULL SUBSET SCREEN SEARCH COMPLETED - 804 TO ITERATE

100.0% PROCESSED 804 ITERATIONS

727 ANSWERS

SEARCH TIME: 00.00.01

L5 727 SEA SUB=L2 SSS FUL L4

=> sav tem in6553394/a
ENTER L#, L# RANGE, ALL, OR (END):15

=> s l3 sub=l2 sss full
FULL SUBSET SEARCH INITIATED 06:51:44 FILE 'REGISTRY'
FULL SUBSET SCREEN SEARCH COMPLETED - 7 TO ITERATE

100.0% PROCESSED 7 ITERATIONS 7 ANSWERS
SEARCH TIME: 00.00.01

L6 7 SEA SUB=L2 SSS FUL L3

=> fil caplus
COST IN U.S. DOLLARS SINCE FILE TOTAL
ENTRY SESSION
FULL ESTIMATED COST 83.10 83.31

FILE 'CAPLUS' ENTERED AT 06:51:56 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.
PLEASE SEE "HELP USAGETERMS" FOR DETAILS.
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 21 May 2007 VOL 146 ISS 22
FILE LAST UPDATED: 20 May 2007 (20070520/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s l5
L7 236 L5

=> s l6
L8 3 L6

=> d l8 tot bib abs hitstr

L8 ANSWER 1 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
AN 2004:902331 CAPLUS
DN 141:379636
TI Process for preparation of optically active 2-allylcarboxylic acid derivatives
IN Okuro, Kazumi; Amano, Susumu; Kizaki, Noriyuki; Takesue, Teruaki; Mitsuda, Masaru; Ito, Noriyuki; Yasohara, Yoshihiko
PA Kaneka Corporation, Japan; Ono Pharmaceutical Co., Ltd.
SO PCT Int. Appl., 57 pp.
CODEN: PIXXD2
DT Patent
LA Japanese
FAN.CNT 1

	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
PI	WO 2004092113	A1	20041028	WO 2004-JP5465	20040416
	W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW RW: BW, GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
	EP 1650187	A1	20060426	EP 2004-727979	20040416
	R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, FI, RO, CY, TR, BG, CZ, EE, HU, PL, SK				
	US 2006223152	A1	20061005	US 2005-553394	20051214
PRAI	JP 2003-114783	A	20030418		
	WO 2004-JP5465	W	20040416		

OS MARPAT 141:379636

AB This invention pertains to a method for producing optically active 2-allylcarboxylic acid derivs., which comprises preparation of carboxamides, N-allylcarboxamides, rearrangement of allyl group, and hydrolysis processes. For example, (R)- and (S)-2-allyloctanoic acid were prepared starting from (R)-1-phenylethylamine and octanoyl chloride in good yield. This invention provides a method to prepare optically active 2-allylcarboxylic acid derivs. from less expensive starting materials with industrial advantages.


IT 781647-60-7P 781647-61-8P 781647-63-0P
781647-65-2P

RL: IMF (Industrial manufacture); RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent) (intermediate; preparation of optically active 2-allylcarboxylic acid derivs.)

RN 781647-60-7 CAPLUS

CN Carbamic acid, [(2S)-1-oxo-2-(2-propenyl)octyl] [(1R)-1-phenylethyl]-, 1-methylethyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 781647-61-8 CAPLUS

CN Carbamic acid, [(2S)-1-oxo-2-(2-propenyl)octyl] [(1R)-1-phenylethyl]-, methyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 781647-63-0 CAPLUS

CN Carbamic acid, [(2S)-1-oxo-2-(2-propenyl)octyl] [(1R)-1-phenylethyl]-, phenyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 781647-65-2 CAPLUS

CN Carbamic acid, [(2S)-1-oxo-2-(2-propenyl)octyl] [(1R)-1-phenylethyl]-, ethyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



IT 781647-62-9P 781647-64-1P


RL: IMF (Industrial manufacture); SPN (Synthetic preparation); PREP (Preparation)

(preparation of optically active 2-allylcarboxylic acid derivs.)

RN 781647-62-9 CAPLUS


CN Carbamic acid, [(2S)-1-oxo-2-(2-propenyl)octyl] [(1R)-1-phenylethyl]-, 1-methylpropyl ester (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 781647-64-1 CAPLUS
 CN Carbamic acid, [(2S)-1-oxo-2-(2-propenyl)octyl][(1R)-1-phenylethyl]-, 4-nitrophenyl ester (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RE.CNT 6 THERE ARE 6 CITED REFERENCES AVAILABLE FOR THIS RECORD
 ALL CITATIONS AVAILABLE IN THE RE FORMAT


L8 ANSWER 2 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
 AN 1992:530592 CAPLUS
 DN 117:130592
 TI A few new methods toward asymmetric synthesis
 AU Ito, Sho; Tsunoda, Tetsuto
 CS Fac. Pharm. Sci., Tokushima Bunri Univ., Tokushima, 770, Japan
 SO Journal of the Chinese Chemical Society (Taipei, Taiwan) (1992), 39(3), 205-8
 CODEN: JCCTAC; ISSN: 0009-4536
 DT Journal
 LA English
 OS CASREACT 117:130592
 AB The asym. rearrangement of N-2-butenyl-N-alkylcarboxamides was studied. Thus, treatment of (E)-EtCONBuCH2CH=CHMe with LDA in THF at -78°, followed by exchange of the solvent with xylene gave predominantly syn-CH2:CHCHMeCHMeCONHBu. The latter was hydrolyzed to the acid via the N-acetoxypivaloyl derivative
 IT 141447-13-4P
 RL: SPN (Synthetic preparation); PREP (Preparation) (preparation of)
 RN 141447-13-4 CAPLUS
 CN 4-Pentenamide, N-[3-(acetyloxy)-2,2-dimethyl-1-oxopropyl]-2,3-dimethyl-N-(1-phenylethyl)-, [2R-[1(S*),2R*,3S*]]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



L8 ANSWER 3 OF 3 CAPLUS COPYRIGHT 2007 ACS on STN
 AN 1992:255275 CAPLUS
 DN 116:255275
 TI Asymmetric induction in aza-Claisen rearrangement of carboxamide enolates.
 Effect of chiral auxiliary on nitrogen
 AU Tsunoda, Tetsuto; Sakai, Mika; Sasaki, Osamu; Sako, Yoshie; Hondo, Yuka;
 Ito, Sho
 CS Fac. Pharm. Sci., Tokushima Bunri Univ., Tokushima, 770, Japan
 SO Tetrahedron Letters (1992), 33(12), 1651-4
 CODEN: TELEAY; ISSN: 0040-4039
 DT Journal
 LA English
 OS CASREACT 116:255275
 AB Aza-Claisen rearrangement of enolates of N-alkyl-N-(2E)-
 butenylpropanamides with chiral alkyl groups proceeded with high relative
 asym. induction as well as excellent internal asym. induction to give
 optically active N-alkyl-syn-2,3-dimethylpent-4-enamides.
 IT 141447-13-4P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and hydrolysis of)
 RN 141447-13-4 CAPLUS
 CN 4-Pentenamide, N-[3-(acetyloxy)-2,2-dimethyl-1-oxopropyl]-2,3-dimethyl-N-
 (1-phenylethyl)-, [2R-[1(S*),2R*,3S*]]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



=> fil stng

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
16.28	99.59

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
-2.34	-2.34

CA SUBSCRIBER PRICE

FILE 'STNGUIDE' ENTERED AT 06:52:38 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: May 18, 2007 (20070518/UP).

=> d his

(FILE 'HOME' ENTERED AT 06:49:26 ON 21 MAY 2007)

FILE 'REGISTRY' ENTERED AT 06:49:47 ON 21 MAY 2007
ACT INC553394/A

L1 STR
L2 804 SEA FILE=REGISTRY SSS FUL L1

L3 STRUCTURE UPLOADED *interm 6.5hr*
L4 STRUCTURE UPLOADED *interm 6.5hr*
L5 727 S L4 SSS FULL SUB=L2
SAV TEM IN6553394/A L5
L6 7 S L3 SSS FULL SUB=L2

FILE 'CAPLUS' ENTERED AT 06:51:56 ON 21 MAY 2007

L7 236 S L5
L8 3 S L6

FILE 'STNGUIDE' ENTERED AT 06:52:38 ON 21 MAY 2007

=> log hold

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.18	99.77

FULL ESTIMATED COST



DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-2.34

CA SUBSCRIBER PRICE

SESSION WILL BE HELD FOR 120 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 06:54:10 ON 21 MAY 2007

cb 0¹ Ak 0²9 0¹ 10 0²

chain nodes :

1 2 3 4 5 6 7 8 9 10 14 15 17 18 19 20 21 22 23 24 25
26 27 28 29

chain bonds :

1-2 2-3 3-4 4-5 4-14 5-6 5-7 7-8 7-18 8-15 8-17 19-24 19-20
20-21 20-22 22-23 22-27 23-25 23-26 27-28 28-29

exact/norm bonds :

1-2 2-3 3-4 4-5 4-14 5-6 5-7 7-8 7-18 8-15 8-17 19-24 19-20
20-21 20-22 22-23 22-27 23-25 23-26 27-28 28-29

G1:[*1],[*2]

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS
9:Atom 10:CLASS 14:CLASS 15:CLASS 17:CLASS 18:CLASS 19:CLASS
20:CLASS 21:CLASS 22:CLASS 23:CLASS 24:CLASS 25:CLASS 26:CLASS
27:CLASS 28:CLASS 29:CLASS

Generic attributes :

9:
Saturation : Unsaturated
10:
Saturation : Saturated

fragments assigned product role:

containing 1

fragments assigned reactant/reagent role:

containing 19

node mappings:

7:22 8:23 3:27 2:28 1:29

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptasj11626

PASSWORD:

***** RECONNECTED TO STN INTERNATIONAL *****
SESSION RESUMED IN FILE 'STNGUIDE' AT 07:16:40 ON 21 MAY 2007
FILE 'STNGUIDE' ENTERED AT 07:16:40 ON 21 MAY 2007
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.18	99.77

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-2.34

=> fil casreact

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.24	99.83

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-2.34

FILE 'CASREACT' ENTERED AT 07:17:13 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

*
* CASREACT now has more than 12 million reactions *
*

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-interm6rxn.str

L9 STRUCTURE UPLOADED

=> s 19

SAMPLE SEARCH INITIATED 07:17:35 FILE 'CASREACT'

SCREENING COMPLETE - 1381 REACTIONS TO VERIFY FROM 100 DOCUMENTS

100.0% DONE 1381 VERIFIED 0 HIT RXNS 0 DOCS
SEARCH TIME: 00.00.02

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED VERIFICATIONS: 25393 TO 29847

PROJECTED ANSWERS: 0 TO 0

L10 0 SEA SSS SAM L9 (0 REACTIONS)

=> s 19 sss full

FULL SEARCH INITIATED 07:17:48 FILE 'CASREACT'

SCREENING COMPLETE - 33987 REACTIONS TO VERIFY FROM 2032 DOCUMENTS

100.0% DONE 33987 VERIFIED 6 HIT RXNS 4 DOCS
SEARCH TIME: 00.00.09

L11 4 SEA SSS FUL L9 (6 REACTIONS)

=> d tot l11 all

L11 ANSWER 1 OF 4 CASREACT COPYRIGHT 2007 ACS on STN

AN 140:27646 CASREACT

TI Double diastereoselective [3,3]-sigmatropic aza-Claisen rearrangements

AU Davies, Stephen G.; Garner, A. Christopher; Nicholson, Rebecca L.;

Osborne, James; Savory, Edward D.; Smith, Andrew D.

CS Dyson Perrins Laboratory, University of Oxford, Oxford, OX1 3QY, UK

SO Chemical Communications (Cambridge, United Kingdom) (2003), (17),
2134-2135

CODEN: CHCOFS; ISSN: 1359-7345

PB Royal Society of Chemistry

DT Journal

LA English

CC 25-19 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)

Section cross-reference(s): 75

AB Asym. [3,3]-sigmatropic aza-Claisen rearrangement of the
(Z)-N-allyl-N,O-silylketene aminal of (3S,4E, α R)-1-benzyloxy-3-(N-
propionyl-N- α -methylbenzylamino)hex-4-ene furnishes

(2S,3R,4E, α R)-N- α -methylbenzyl-2,3-dimethyl-7-benzyloxyhept-4-

enamide in >92% d.e.; rearrangement of the diastereomeric

(3R,4E, α R)-(Z)-N,O-silylketene aminal proceeds with low

diastereoselectivity.

ST methylbenzyldimethylbenzyloxyheptenamide prepn double diastereoselective
sigmatropic aza Claisen rearrangement

IT Rearrangement

([3,3]-sigmatropic, stereoselective; preparation of

methylbenzyldimethylbenzyloxyheptenamide via double diastereoselective

[3,3]-sigmatropic aza-Claisen rearrangements)

IT Claisen rearrangement

(aza-, stereoselective; preparation of methylbenzyldimethylbenzyloxyheptenam

ide via double diastereoselective [3,3]-sigmatropic aza-Claisen

rearrangements)

IT Crystal structure

Molecular structure

(of methylbenzyldimethylbenzyloxyheptenamide prepared via double

diastereoselective [3,3]-sigmatropic aza-Claisen rearrangements)

IT Asymmetric synthesis and induction

(preparation of methylbenzyldimethylbenzyloxyheptenamide via double

diastereoselective [3,3]-sigmatropic aza-Claisen rearrangements)

IT Rearrangement
(stereoselective; preparation of methylbenzyl dimethylbenzyloxyheptenamide via double diastereoselective [3,3]-sigmatropic aza-Claisen rearrangements)

IT 634599-72-7P
RL: PRP (Properties); SPN (Synthetic preparation); PREP (Preparation)
(crystal structure; preparation and crystal structure of methylbenzyl dimethylbenzyloxyheptenamide from double diastereoselective [3,3]-sigmatropic aza-Claisen rearrangements)

IT 100-39-0, Benzyl bromide 81838-85-9 163234-78-4 185432-58-0
RL: RCT (Reactant); RACT (Reactant or reagent)
(preparation of methylbenzyl dimethylbenzyloxyheptenamide via double diastereoselective [3,3]-sigmatropic aza-Claisen rearrangements)

IT 257907-86-1P 257907-87-2P 257907-88-3P 634599-69-2P 634599-70-5P 634599-71-6P
RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)
(preparation of methylbenzyl dimethylbenzyloxyheptenamide via double diastereoselective [3,3]-sigmatropic aza-Claisen rearrangements)


IT 634599-73-8P
RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of methylbenzyl dimethylbenzyloxyheptenamide via double diastereoselective [3,3]-sigmatropic aza-Claisen rearrangements)

RE.CNT 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD

RE


- (1) Davies, S; Chem Commun 1995, P1109
- (2) Enders, D; Tetrahedron: Asymmetry 1996, V7, P1847 CAPLUS
- (3) Ito, H; Chem Soc Rev 1999, V28, P43 CAPLUS
- (4) Ito, S; Pure Appl Chem 1994, V66, P2071 CAPLUS
- (5) Kurth, M; J Am Chem Soc 1985, V107, P443 CAPLUS
- (6) Kurth, M; J Org Chem 1986, V51, P1377 CAPLUS
- (7) Metz, P; J Org Chem 1997, V62, P4442 CAPLUS
- (8) Metz, P; Tetrahedron 1999, V55, P14941
- (9) Mihelich, E; J Am Chem Soc 1981, V103, P7690 CAPLUS
- (10) Paterson, I; J Chem Soc, Perkin Trans 1 1999, P1003 CAPLUS
- (11) Roush, W; J Org Chem 1991, V56, P4151 CAPLUS
- (12) Schreiber, S; J Am Chem Soc 1985, V107, P5303 CAPLUS
- (13) Tsunoda, T; Chem Lett 1994, P543 CAPLUS
- (14) Tsunoda, T; Tetrahedron Lett 1990, V31, P727 CAPLUS
- (15) Tsunoda, T; Tetrahedron Lett 1992, V33, P1651 CAPLUS
- (16) Tsunoda, T; Tetrahedron Lett 1993, V34, P3297 CAPLUS
- (17) Welch, J; J Am Chem Soc 1987, V109, P6716 CAPLUS
- (18) Yamazaki, T; Tetrahedron Lett 1991, V32, P4267 CAPLUS
- (19) Yoon, T; J Am Chem Soc 2001, V123, P2911 CAPLUS

RX(1) OF 16 A + B ==> C...




● Li

A



B


(1) →



C
YIELD 85%

RX(1) RCT A 163234-78-4, B 81838-85-9
PRO C 257907-86-1
SOL 109-99-9 THF
CON -78 deg C
NTE stereoselective


RX(2) OF 16 ...C + E ==> F...



C

E

(2) →



F
YIELD 59%

RX(2) RCT C 257907-86-1

STAGE(1)

RGT G 16853-85-3 LiAlH₄

SOL 109-99-9 THF

CON 0 deg C -> room temperature

STAGE(2)

RCT E 100-39-0

RGT H 7646-69-7 NaH, I 33100-27-5 15-Crown-5

STAGE(3)



RGT J 14694-95-2 $\text{RhCl}(\text{PPh}_3)_3$

SOL 75-05-8 MeCN, 7732-18-5 Water

PRO F 634599-69-2

NTE stereoselective


RX(3) OF 16 ...F + M ==> N...




N
YIELD 99%

RX(3) RCT F 634599-69-2, M 79-03-8
RGT O 121-44-8 Et_3N , P 1122-58-3 4-DMAP
PRO N 634599-70-5
SOL 75-09-2 CH_2Cl_2
CON room temperature

RX(4) OF 16 ...N ==> R







R
YIELD 90%

RX(4) RCT N 634599-70-5
 RGT S 4039-32-1 (Me3Si)2N.Li, T 75-77-4 Me3SiCl
 PRO R 634599-72-7
 SOL 108-88-3 PhMe
 CON reflux
 NTE aza-Claisen rearrangement, stereoselective

RX(5) OF 16 2 V + 2 B ==> W + X...




● Li




2 V

2 B

(5) →





W
YIELD 25%



X
YIELD 15%

RX(5) RCT V 185432-58-0, B 81838-85-9
 PRO W 257907-87-2, X 257907-88-3
 SOL 109-99-9 THF
 CON -78 deg C
 NTE stereoselective

RX(6) OF 16 ...X + E + M ==> Y...



RX(6) RCT X 257907-88-3

STAGE(1)

RGT G 16853-85-3 LiAlH₄
 SOL 109-99-9 THF
 CON 0 deg C -> room temperature

STAGE(2)


RCT E 100-39-0
 RGT H 7646-69-7 NaH, I 33100-27-5 15-Crown-5


STAGE(3)

RCT M 79-03-8
 RGT O 121-44-8 Et₃N, P 1122-58-3 4-DMAP
 SOL 75-09-2 CH₂Cl₂
 CON room temperature

PRO Y 634599-71-6

RX(7) OF 16 ...Y ==> Z







Z
YIELD 51%

RX(7) RCT Y 634599-71-6
RGT S 4039-32-1 (Me3Si)2N.Li, T 75-77-4 Me3SiCl
PRO Z 634599-73-8
SOL 108-88-3 PhMe
CON reflux
NTE aza-Claisen rearrangement, stereoselective, product obtained is inseparable mixt. of 3 of 8 possible diastereomers

L11 ANSWER 2 OF 4 CASREACT COPYRIGHT 2007 ACS on STN
AN 134:56500 CASREACT
TI A total synthesis of (-)-antimycin A3b
AU Tsunoda, Tetsuto; Nishii, Takeshi; Yoshizuka, Makoto; Yamasaki, Chise; Suzuki, Tomonori; Ito, Sho
CS Faculty of Pharmaceutical Sciences, Tokushima Bunri University, Tokushima, 770-8514, Japan
SO Tetrahedron Letters (2000), 41(40), 7667-7671
CODEN: TELEAY; ISSN: 0040-4039
PB Elsevier Science Ltd.
DT Journal
LA English
CC 26-6 (Biomolecules and Their Synthetic Analogs)
GI



I



II

AB (-)-Antimycin A3b (I), the antipode of natural antibiotic antimycin A3b,
ST was synthesized utilizing the asym. aza-Claisen rearrangement of II.
antimycin A3b synthesis aza Claisen rearrangement

IT Claisen rearrangement
 (aza-, asym.; total synthesis of (-)-antimycin A3b)

IT 312729-31-0P
 RL: BYP (Byproduct); PREP (Preparation)
 (total synthesis of (-)-antimycin A3b)

IT 107-02-8, Acrolein, reactions 142-61-0, Hexanoyl chloride 870-63-3,
 Prenyl bromide 1468-39-9, Isovaleric anhydride 2127-03-9,
 2,2'-Dipyridyl disulfide 3886-69-9 312729-34-3 312729-40-1
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (total synthesis of (-)-antimycin A3b)

IT 312729-27-4P 312729-28-5P 312729-29-6P 312729-30-9P 312729-32-1P
 312729-33-2P 312729-35-4P 312729-36-5P 312729-37-6P 312729-38-7P
 312729-39-8P 312729-41-2P 312729-42-3P 312729-43-4P 313976-89-5P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (total synthesis of (-)-antimycin A3b)


IT 98587-10-1P 139066-86-7P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (total synthesis of (-)-antimycin A3b)

RE.CNT 26 THERE ARE 26 CITED REFERENCES AVAILABLE FOR THIS RECORD


RE

- (1) Abidi, S; J Chromatogr 1988, V447, P65 CAPLUS
- (2) Abidi, S; J Chromatogr 1989, V464, P453 CAPLUS
- (3) Aburaki, S; Bull Chem Soc Jpn 1979, V52, P198 CAPLUS
- (4) Barrow, C; J Antibiot 1997, V50, P729 CAPLUS
- (5) Dunshee, B; J Am Chem Soc 1949, V71, P2436 CAPLUS
- (6) Endo, T; Bull Chem Soc Jpn 1970, V43, P2632 CAPLUS
- (7) Gerlach, H; Helv Chim Acta 1974, V57, P2661 CAPLUS
- (8) Inghart, T; Tetrahedron 1991, V47, P6483
- (9) Ito, S; Pure Appl Chem 1994, V66, P2071 CAPLUS
- (10) Kim, H; J Am Chem Soc 1999, V121, P4902 CAPLUS
- (11) Kinoshita, M; Bull Chem Soc Jpn 1973, V46, P1279 CAPLUS
- (12) Kinoshita, M; J Antibiot 1971, V24, P724 CAPLUS
- (13) Kondo, H; to be published in Heterocycles 2000, V49
- (14) Mitsunobu, O; Synthesis 1981, P1 CAPLUS
- (15) Miyoshi, H; Biochim Biophys Acta 1995, V1229, P149 CAPLUS
- (16) Miyoshi, H; FEBS Lett 1991, V292, P61 CAPLUS
- (17) Nakata, T; Tetrahedron Lett 1983, V24, P2657 CAPLUS
- (18) Takahata, H; J Org Chem 1994, V59, P7201 CAPLUS
- (19) Tsunoda, T; Chem Lett 1994, P543 CAPLUS
- (20) Tsunoda, T; Tetrahedron Lett 1992, V33, P1651 CAPLUS
- (21) Tsunoda, T; Tetrahedron Lett 1993, V34, P3297 CAPLUS
- (22) Tsunoda, T; Tetrahedron Lett 1996, V37, P2463 CAPLUS
- (23) Tsunoda, T; to be published
- (24) Wasserman, H; J Am Chem Soc 1985, V107, P1423 CAPLUS
- (25) Wasserman, H; Tetrahedron 1992, V48, P7059 CAPLUS
- (26) Wikstrom, M; Biochim Biophys Acta 1972, V283, P403 CAPLUS


RX(1) OF 136 A + B + C ==> D...



A




B



C

(1) →



D
YIELD 64%

RX(1) RCT A 3886-69-9

STAGE(1)


RGT E 27607-77-8 Me₃SiSO₃CF₃, F 6674-22-2 DBU
SOL 60-29-7 Et₂O

STAGE(2)


RCT B 80522-42-5, C 107-02-8
SOL 60-29-7 Et₂O

PRO D 312729-27-4
NTE STEREOSELECTIVE


RX(2) OF 136 ...D + H ==> I...



D




(2) →




I
YIELD 98%

RX(2) RCT D 312729-27-4, H 142-61-0
RGT J 121-44-8 Et₃N
PRO I 312729-28-5
SOL 75-09-2 CH₂Cl₂
NTE STEREOSELECTIVE

RX(3) OF 136 ...I ==> L...



I





L

YIELD 78%

RX(3) RCT I 312729-28-5
 RGT M 4039-32-1 (Me₃Si)₂N.Li
 PRO L 312729-29-6
 SOL 108-88-3 PhMe
 NTE STEREOSELECTIVE

RX(4) OF 136 ...L ==> O...




L



O
 YIELD 78%




RX(4) RCT L 312729-29-6
 RGT P 7646-69-7 NaH, Q 100-23-2 Benzenamine, N,N-dimethyl-4-nitro-
 PRO O 312729-30-9
 SOL 68-12-2 DMF, 7732-18-5 Water
 NTE STEREOSELECTIVE

RX(5) OF 136 ...O ==> T...



RX(5) RCT O 312729-30-9
 RGT U 688-73-3 Bu₃SnH
 PRO T 312729-32-1
 SOL 71-43-2 Benzene
 NTE STEREOSELECTIVE

RX(6) OF 136 ...2 T + W ==> X + Y...



RX(6) RCT T 312729-32-1
 STAGE(1)
 RGT Z 21351-79-1 CsOH

SOL 75-65-0 t-BuOH

STAGE(2)

RCT W 870-63-3


RGT AA 110-86-1 Pyridine

SOL 60-29-7 Et2O


PRO X 312729-33-2, Y 98587-10-1

NTE STEREOSELECTIVE

RX(7) OF 136 ...X + AC ==> AD...



(7) →




AD

YIELD 100%


RX(7) RCT X 312729-33-2, AC 312729-34-3
RGT AE 1972-28-7 EtO2CN:NCO2Et, AF 603-35-0 PPh3
PRO AD 312729-35-4
SOL 71-43-2 Benzene
NTE STEREOSELECTIVE

RX(8) OF 136 ...AD ==> AG...



AD

(8) →




AG

YIELD 95%

RX(8)

RCT AD 312729-35-4
RGT AH 7647-01-0 HCl
PRO AG 312729-43-4
SOL 64-17-5 EtOH
NTE STEREOSELECTIVE


RX(9) OF 136 ...AJ + AK ==> AL...



AJ

AK

(9) →




AL

YIELD 99%


RX(9) RCT AJ 312729-36-5, AK 2127-03-9
 RGT AF 603-35-0 PPh3
 PRO AL 312729-37-6
 SOL 71-43-2 Benzene
 NTE STEREOSELECTIVE

RX(10) OF 136 ...AL ==> AM...



AL

(10) →




AM

YIELD 82%


RX(10) RCT AL 312729-37-6
 RGT AN 7783-93-9 AgClO4
 PRO AM 312729-38-7
 SOL 71-43-2 Benzene
 NTE STEREOSELECTIVE

RX(11) OF 136 ...AM ==> AO...



AM


(11) →



AO
 YIELD 85%


RX(11) RCT AM 312729-38-7
 RGT AP 429-41-4 Bu4N.F
 PRO AO 312729-42-3
 SOL 109-99-9 THF
 NTE STEREOSELECTIVE

RX(12) OF 136 ...AR ==> AS...



AR

(12) →




AS


YIELD 67%

RX(12) RCT AR 313976-89-5
 RGT AT 1333-74-0 H2
 PRO AS 312729-39-8
 CAT 7440-05-3 Pd
 SOL 141-78-6 AcOEt
 NTE STEREOSELECTIVE

RX(13) OF 136 ...AS + AW ==> AX...




AS



AW

(13) →




AX

YIELD 95%

RX(13) RCT AS 312729-39-8, AW 312729-40-1
 RGT AY 2592-95-2 1-Benzotriazolol, AZ 109-02-4 N-Methylmorpholine,
 BA 25952-53-8 EDAP
 PRO AX 312729-41-2


SOL 68-12-2 DMF
NTE STEREOSELECTIVE

RX(14) OF 136 ...AX ==> BB



AX

(14) →




BB


YIELD 89%

RX(14) RCT AX 312729-41-2
RGT AT 1333-74-0 H2
PRO BB 139066-86-7
CAT 7440-05-3 Pd
SOL 141-78-6 AcOEt
NTE STEREOSELECTIVE

RX(15) OF 136 ...AO + BC ==> AR...




AO



BC

(15) →




AR

YIELD 53%


RX(15) RCT AO 312729-42-3, BC 1468-39-9
 PRO AR 313976-89-5
 SOL 110-86-1 Pyridine
 NTE STEREOSELECTIVE

RX(16) OF 136 ...AG ==> AJ...



AG

(16) →




AJ

YIELD 85%


RX(16) RCT AG 312729-43-4
 RGT BD 3375-31-3 Pd(OAc)2, AF 603-35-0 PPh3, J 121-44-8 Et3N, BE
 64-18-6 HCO2H
 PRO AJ 312729-36-5
 SOL 123-91-1 Dioxane
 NTE STEREOSELECTIVE

L11 ANSWER 3 OF 4 CASREACT COPYRIGHT 2007 ACS on STN
 AN 116:255275 CASREACT
 TI Asymmetric induction in aza-Claisen rearrangement of carboxamide enolates.
 Effect of chiral auxiliary on nitrogen
 AU Tsunoda, Tetsuto; Sakai, Mika; Sasaki, Osamu; Sako, Yoshie; Hondo, Yuka;
 Ito, Sho
 CS Fac. Pharm. Sci., Tokushima Bunri Univ., Tokushima, 770, Japan
 SO Tetrahedron Letters (1992), 33(12), 1651-4
 CODEN: TELEAY; ISSN: 0040-4039
 DT Journal
 LA English
 CC 25-19 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
 AB Aza-Claisen rearrangement of enolates of N-alkyl-N-(2E)-
 butenylpropanamides with chiral alkyl groups proceeded with high relative
 asym. induction as well as excellent internal asym. induction to give
 optically active N-alkyl-syn-2,3-dimethylpent-4-enamides.
 ST asym aza Claisen rearrangement amide enolate
 IT Asymmetric synthesis and induction
 (in aza-Claisen rearrangement of carboxamide enolates)
 IT Claisen rearrangement
 (aza-, of carboxamide enolates)
 IT Amides, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (enolates, aza-Claisen rearrangement of)
 IT 130942-13-1 141423-08-7 141423-09-8 141423-10-1 141423-11-2
 141423-12-3 141447-14-5
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (asym. aza-Claisen rearrangement of)
 IT 130942-15-3P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and acylation of)
 IT 141447-13-4P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and hydrolysis of)
 IT 141505-90-0P
 RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
 (Reactant or reagent)
 (preparation and ozonolysis of)
 IT 5866-39-7P 130983-06-1P 141423-02-1P 141423-03-2P 141423-04-3P
 141423-05-4P 141423-06-5P 141423-07-6P 141505-84-2P 141505-85-3P
 141505-86-4P 141505-87-5P 141505-88-6P 141505-89-7P
 RL: SPN (Synthetic preparation); PREP (Preparation)
 (preparation of)


RX(1) OF 2 2 A ==> B + C



2 A





B
YIELD 79% (77)



C
YIELD 79% (22)

RX(1) RCT A 130942-13-1
RGT D 4111-54-0 LiN(Pr-i)₂
PRO B 130942-15-3, C 130983-06-1
SOL 109-99-9 THF

RX(2) OF 2 2 F ==> G + H




H
YIELD 90% (12)

RX(2) RCT F 141423-09-8
RGT I 4039-32-1 (Me₃Si)₂N.Li
PRO G 141423-03-2, H 141505-85-3
SOL 108-88-3 PhMe

L11 ANSWER 4 OF 4 CASREACT COPYRIGHT 2007 ACS on STN
AN 114:5978 CASREACT
TI A few new methods for asymmetric synthesis
AU Ito, Sho; Tsunoda, Tetsuto

CS Fac. Pharm. Sci., Tokushima Bunri Univ., Tokushima, 770, Japan
 SO Pure and Applied Chemistry (1990), 62(7), 1405-8
 CODEN: PACHAS; ISSN: 0033-4545
 DT Journal
 LA English
 CC 25-19 (Benzene, Its Derivatives, and Condensed Benzenoid Compounds)
 Section cross-reference(s): 23
 GI



AB Aza-Claisen rearrangement of (E)-EtCONRCH₂CH:CHMe (I; R = Bu) was found to proceed smoothly at .apprx.135° in the presence of LDA to furnish II (R = Bu) in .apprx.94% yield and >99% diastereomeric excess (d.e.). The reaction of I (R = CHMePh) gave II (same R) in 83% d.e. An efficient and generally-applicable two-step procedure for the hydrolysis of N-monosubstituted amides was also developed and the corresponding carboxylic acids were obtained in good yields without any epimerization at the α-position of the acyl group. The amines used for the chiral induction can be recovered in 71% yield.

ST stereoselective aza Claisen rearrangement amide; hydrolysis monosubstituted amide

IT Amides, reactions
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (aza-Claisen rearrangement and hydrolysis of)

IT Stereochemistry
 (of aza-Claisen rearrangement of propanamides)

IT Hydrolysis
 (of monosubstituted amides)

IT Claisen rearrangement
 (aza-, stereoselective, of propanamides)

IT 58908-50-2, Acetoxypivaloyl chloride
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (agent, for hydrolysis of monosubstituted amides)

IT 72592-55-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (alkylation by, of butylpropanamide)

IT 29576-14-5, E-Crotyl bromide
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (alkylation by, of propanamides)

IT 13022-17-8
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (alkylation of, with crotyl bromide)

IT 2955-67-1, N-Butylpropanamide
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (alkylation of, with crotyl bromide and tosylate)

IT 2782-40-3 10264-28-5 35665-26-0 61765-19-3 128037-34-3
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (amide hydrolysis of)

IT 2627-86-3P
 RL: FORM (Formation, nonpreparative); PREP (Preparation)
 (formation of, during hydrolysis of carbamate)

IT 128037-40-1
 RL: RCT (Reactant); RACT (Reactant or reagent)
 (hydrolysis of)

IT 128013-58-1P 128013-59-2P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and amide hydrolysis of)

IT 130942-13-1P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and aza-Claisen rearrangement of)

IT 128013-56-9P 128013-57-0P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and aza-Claisen rearrangement of, stereoselective)

IT 130942-19-7P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and conversion of, to carbamate)

IT 33290-12-9P 128037-35-4P 128037-36-5P 128037-37-6P 128037-38-7P
130942-16-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT (Reactant or reagent)

(preparation and hydrolysis of)

IT 130942-15-3P

RL: SPN (Synthetic preparation); PREP (Preparation)

(preparation and sequential ozonolysis and cyclization of, dimethylsuccinic acid from)


IT 5866-39-7P, (+)-2,3-Dimethylsuccinic acid 27069-03-0P 128037-41-2P
130942-12-0P 130942-14-2P 130942-17-5P 130942-18-6P 130983-06-1P
130983-07-2P 130983-08-3P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of)


IT 65-85-0P, Benzoic acid, preparation 98-89-5P, Cyclohexanecarboxylic acid
142-62-1P, Hexanoic acid, preparation 58367-53-6P 58367-54-7P

RL: SPN (Synthetic preparation); PREP (Preparation)
(preparation of, by amide hydrolysis)


RX(1) OF 4 2 A ==> B + C



2 A



B
YIELD 85% (92)




C
YIELD 85% (8)

RX(1) RCT A 130942-13-1
RGT D 4111-54-0 LiN(Pr-i)2
PRO B 130942-15-3, C 130983-06-1


SOL 108-88-3 PhMe

RX(2) OF 4 F + G ==> H...



RX(2) RCT F 2782-40-3, G 58908-50-2
RGT I 121-44-8 Et3N, J 1122-58-3 4-DMAP
PRO H 128037-38-7
SOL 75-09-2 CH2Cl2

RX(3) OF 4 ...H ==> L



RX(3) RCT H 128037-38-7
RGT M 1310-65-2 LiOH
PRO L 65-85-0
SOL 109-99-9 THF

=> log hold

COST IN U.S. DOLLARS

FULL ESTIMATED COST



DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

CA SUBSCRIBER PRICE

SINCE FILE	TOTAL
ENTRY	SESSION
147.62	247.45
SINCE FILE	TOTAL
ENTRY	SESSION
-2.92	-5.26

SESSION WILL BE HELD FOR 120 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 07:19:40 ON 21 MAY 2007



For clms
33-34

chain nodes :

1 2 3 4 5 6 7 8 9 10 11 14

chain bonds :

1-2 1-3 4-5 5-6 5-15 7-8 7-9 9-10 10-11 10-14

exact/norm bonds :

1-2 1-3 4-5 5-6 5-15 7-8 7-9 9-10 10-11 10-14

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS
9:CLASS 10:CLASS 11:CLASS 14:CLASS 15:CLASS

fragments assigned product role:

containing 7



fragments assigned reactant/reagent role:

containing 1

containing 4

node mappings:

1:7 2:8 3:9 5:10 6:11 14:15 14:15



chain nodes :

1 2 3 4 5 6 7 8 9 10 11 14 15 16 17 18

chain bonds :

1-2 1-3 3-16 4-5 5-6 5-15 7-8 7-9 9-10 9-17 10-11 10-14

exact/norm bonds :

1-2 1-3 3-16 4-5 5-6 5-15 7-8 7-9 9-10 9-17 10-11 10-14

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS
 9:CLASS 10:CLASS 11:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS
 18:CLASS

fragments assigned product role:

containing 7

fragments assigned reactant/reagent role:



containing 1

containing 4

containing 18

node mappings:

1:7 2:8 3:9 5:10 6:11 14:15



chain nodes :

1 2 3 4 5 6 7 8 9 10 11 14 15 16 17 18

chain bonds :

1-2 1-3 3-16 4-5 5-6 5-15 7-8 7-9 9-10 9-17 10-11 10-14

exact/norm bonds :

1-2 1-3 3-16 4-5 5-6 5-15 7-8 7-9 9-10 9-17 10-11 10-14

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:CLASS 7:CLASS 8:CLASS
9:CLASS 10:CLASS 11:CLASS 14:CLASS 15:CLASS 16:CLASS 17:CLASS
18:CLASS

fragments assigned product role:

containing 7

fragments assigned reactant/reagent role:

containing 1

containing 4

containing 18

node mappings:

1:7 2:8 3:9 5:10 6:11 14:15 14:15

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptasjl1626

PASSWORD:

***** RECONNECTED TO STN INTERNATIONAL *****
SESSION RESUMED IN FILE 'CASREACT' AT 07:59:47 ON 21 MAY 2007
FILE 'CASREACT' ENTERED AT 07:59:47 ON 21 MAY 2007
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	147.62	247.45
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)		
CA SUBSCRIBER PRICE	-2.92	-5.26

=> fil casreact

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	147.62	247.45
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)		
CA SUBSCRIBER PRICE	-2.92	-5.26

FILE 'CASREACT' ENTERED AT 07:59:56 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

*
* CASREACT now has more than 12 million reactions *
*

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-imide.str

L12 STRUCTURE UPLOADED

=> s l12

SAMPLE SEARCH INITIATED 08:00:14 FILE 'CASREACT'

SCREENING COMPLETE - 35 REACTIONS TO VERIFY FROM

9 DOCUMENTS

100.0% DONE 35 VERIFIED 11 HIT RXNS

3 DOCS

SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED VERIFICATIONS: 346 TO 1054

PROJECTED ANSWERS: 3 TO 163


L13 3 SEA SSS SAM L12 (11 REACTIONS)

=> d scan

L13 3 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Amine-Salt-Controlled, Catalytic Asymmetric Conjugate Addition of Various Amines and Asymmetric Protonation

RX(20) OF 27




HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):2

L13 3 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of carbofunctional organosilicon compounds. Silicon-containing amides and formamides


RX(18) OF 41



L13 3 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 1,1,3,3-Tetraalkoxy-2-azaallylium salts: synthesis and stereochemical properties

RX(3) OF 6



ALL ANSWERS HAVE BEEN SCANNED

=> fil stng

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.45

247.90

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-5.26

FILE 'STNGUIDE' ENTERED AT 08:00:29 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: May 18, 2007 (20070518/UP).

	SINCE FILE	TOTAL
	ENTRY	SESSION
=> fil casreact		
COST IN U.S. DOLLARS		
FULL ESTIMATED COST	0.24	248.14
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)		
	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-5.26

FILE 'CASREACT' ENTERED AT 08:03:10 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

*
* CASREACT now has more than 12 million reactions *
*

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>
Uploading C:\Program Files\Stnexp\Queries\10553394-imide2.str

L14 STRUCTURE UPLOADED

=> s l14

SAMPLE SEARCH INITIATED 08:03:29 FILE 'CASREACT'
SCREENING COMPLETE - 15 REACTIONS TO VERIFY FROM 2 DOCUMENTS

100.0% DONE 15 VERIFIED 7 HIT RXNS 1 DOCS
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
BATCH **COMPLETE**
PROJECTED VERIFICATIONS: 68 TO 532
PROJECTED ANSWERS: 1 TO 79


L15 1 SEA SSS SAM L14 (7 REACTIONS)

=> d scan

L15 1 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of carbofunctional organosilicon compounds. Silicon-containing amides and formamides

RX(18) OF 41



ALL ANSWERS HAVE BEEN SCANNED

=> s l12 sss full

FULL SEARCH INITIATED 08:04:05 FILE 'CASREACT'

SCREENING COMPLETE - 2122 REACTIONS TO VERIFY FROM 247 DOCUMENTS

100.0% DONE 2122 VERIFIED 799 HIT RXNS (85 INCOMP) 106 DOCS
SEARCH TIME: 00.00.02

L16 106 SEA SSS FUL L12 (799 REACTIONS)

=> sav tem 3pr553394/a l16

3PR553394/A IS NOT A VALID SAVED NAME

Enter the name you wish to use for the saved query, answer set, or L-number list. The name must:

1. Begin with a letter,
2. Have 1-12 characters,
3. Contain only letters (A-Z) and numbers (0-9),
4. End with /Q for a query (search profile, structure, or screen set), /A for an answer set, or /L for an L-number list.
5. Not already be in use as a saved name,
6. Not be END, SAV, SAVE, SAVED
7. Not have the form of an L-number (Lnnn).

ENTER NAME OR (END):imi553394/a

=> act imi553394/a

L17 STR

L18 106 SEA FILE=CASREACT SSS FUL L17 (799 REACTIONS)

=> s l14 sub=l18 sss full

FULL SUBSET SEARCH INITIATED 08:05:56 FILE 'CASREACT'

SCREENING COMPLETE - 348 REACTIONS TO VERIFY FROM 61 DOCUMENTS

100.0% DONE 348 VERIFIED 161 HIT RXNS 37 DOCS
SEARCH TIME: 00.00.01

L19 37 SEA SUB=L18 SSS FUL L14 (161 REACTIONS)

=> fil stng

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
130.05	378.19

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-5.26

CA SUBSCRIBER PRICE

FILE 'STNGUIDE' ENTERED AT 08:06:08 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: May 18, 2007 (20070518/UP).

=> fil casreact

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.24	378.43
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE ENTRY	TOTAL SESSION
CA SUBSCRIBER PRICE	0.00	-5.26

FILE 'CASREACT' ENTERED AT 08:08:40 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

*
* CASREACT now has more than 12 million reactions *
*

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-imideMg.str

L20 STRUCTURE UPLOADED

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-imideNa.str

L21 STRUCTURE UPLOADED

=> d his

(FILE 'HOME' ENTERED AT 06:49:26 ON 21 MAY 2007)

FILE 'REGISTRY' ENTERED AT 06:49:47 ON 21 MAY 2007
ACT INC553394/A

L1 STR
L2 804. SEA FILE=REGISTRY SSS FUL L1
L3 STRUCTURE UPLOADED

L4 STRUCTURE UPLOADED
L5 727 S L4 SSS FULL SUB=L2
SAV TEM IN6553394/A L5
L6 7 S L3 SSS FULL SUB=L2

FILE 'CAPLUS' ENTERED AT 06:51:56 ON 21 MAY 2007
L7 236 S L5
L8 3 S L6

FILE 'STNGUIDE' ENTERED AT 06:52:38 ON 21 MAY 2007

FILE 'CASREACT' ENTERED AT 07:17:13 ON 21 MAY 2007
L9 STRUCTURE UPLOADED
L10 0 S L9
L11 4 S L9 SSS FULL

FILE 'CASREACT' ENTERED AT 07:59:56 ON 21 MAY 2007
L12 STRUCTURE UPLOADED
L13 3 S L12

FILE 'STNGUIDE' ENTERED AT 08:00:29 ON 21 MAY 2007

FILE 'CASREACT' ENTERED AT 08:03:10 ON 21 MAY 2007
L14 STRUCTURE UPLOADED
L15 1 S L14
L16 106 S L12 SSS FULL
SAV TEM 3PR553394/A L16 IMI553394/A
ACT IMI553394/A

L17 STR
L18 106 SEA FILE=CASREACT SSS FUL L17 (799 REACTIONS)

L19 37 S L14 SSS FULL SUB=L18

FILE 'STNGUIDE' ENTERED AT 08:06:08 ON 21 MAY 2007

FILE 'CASREACT' ENTERED AT 08:08:40 ON 21 MAY 2007
L20 STRUCTURE UPLOADED
L21 STRUCTURE UPLOADED

=> s (l20 or l21) sub=l19 sss full
FULL SUBSET SEARCH INITIATED 08:09:54 FILE 'CASREACT'
SCREENING COMPLETE - 91 REACTIONS TO VERIFY FROM 19 DOCUMENTS

100.0% DONE 91 VERIFIED 91 HIT RXNS 19 DOCS
SEARCH TIME: 00.00.01


L22 19 SEA SUB=L19 SSS FUL (L20 OR L21) (91 REACTIONS)

=> d scan

L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of sulfur-containing heterocycle carbamate derivatives as herbicides

RX(7) OF 9




NOTE: ice-temp. for 1 h; ice-temp. for 10 min and room temp. for 1 h

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):18

L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Niobium pentachloride promoted conversion of carboxylic acids to carboxamides: Synthesis of the 4-aryl-1,2,3,4-tetrahydroisoquinoline alkaloid structures


RX(39) OF 44




L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Stereoselective Synthesis of Protected (2R,3R,4S)-4,7-Diamino-2,3-dihydroxyheptanoic Acid: A Novel Amino Acid of Callipeltins A and D

RX(26) OF 45 - 3 STEPS



1. EtSH, Et3N, ClCO2Bu-i, CH2Cl2
- 2.1. (Boc)2O, 4-DMAP, Et3N, MeCN
- 2.2. NH4Cl, Water
3. Pd, MgSO4, Et3SiH, Me2CO




NOTE: 3) solid-supported catalyst

L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of acyl-substituted carbamates and herbicides comprising them

RX(3) OF 4




NOTE: ice-cooling for 1 h; ice-cooling for 10 min and room temp. for 2 h


L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of the Unnatural Amino Acid AGDHE, a Constituent of the Cyclic Depsipeptides Callipeltins A and D

RX(42) OF 133 - 3 STEPS



- 1.1. ClCO2Bu-i, Et3N, THF
- 1.2. NaBH4, Water
2. t-BuSiMe2Cl, 1H-Imidazole, DMF
3. (Boc)2O, 4-DMAP, MeCN




97%

NOTE: 3) regioselective

L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Observations on the reactivity of thiyl radicals derived from 3,6-epidithiodiketopiperazine-2,5-diones and related congeners


RX(10) OF 20




L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI New Versatile Fluorinated Chiral Building Blocks: Synthesis and Reactivity of Optically Pure α -(Fluoroalkyl)- β -sulfinylenamines

RX(3) OF 53



1. NaH, DMF
2. ClCO₂CH₂Ph, DMF




NOTE: regioselective


L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Aspartyl phosphonates and phosphoramidates: the first synthetic inhibitors of bacterial aspartate-semialdehyde dehydrogenase

RX(60) OF 420 - 3 STEPS



1. (Boc)₂O, NaH, THF
2. KOH, Water, MeCN
3.1. ClCO₂Et, CH₂Cl₂
3.2. BuLi, CH₂Cl₂
3.3. HCl, Water




L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparation of acyloxymethyl carbamate prodrugs of oxazolidinone


bactericides with excellent oral bioavailability

RX(145) OF 413 - 2 STEPS



1.1. Li tert-butoxide,
CH₂Cl₂, Hexane,
MeCN
2. NaI, MeCN


RX(145) OF 413 - 2 STEPS




L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI N,N-dialkoxycarbonylamino acids from the sodium hydride-mediated reaction of alkyl chloroformates with mixed anhydrides of N-alkoxycarbonylamino acids

RX(1) OF 2




1. ClCO_2Me , NaH , MeCN
2. HCl , Water, MeOH



L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN


TI A Practical Synthesis of Cabergoline

RX(4) OF 15



1. $(\text{Me}_3\text{Si})_2\text{N.Na}$, THF
2. PhOCOCl

RX(4) OF 15




95%

L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Identification of [(naphthalene-1-carbonyl)-amino]-acetic acid derivatives as nonnucleoside inhibitors of HCV NS5B RNA dependent RNA polymerase


RX(8) OF 141




L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 1-Hydroxy-3-amino-2-piperidone (δ-N-hydroxycycloornithine) derivatives: key intermediates for the synthesis of hydroxamate-based siderophores

RX(146) OF 359 - 3 STEPS




- 1.1. NaOH, MeOH
- 1.2. ClCO₂Bu-i, Et₃N, THF
- 1.3. NaBH₄, Water, THF
2. t-BuSiMe₂Cl, 1H-Imidazole, DMF
3. 4-DMAP, (Boc)₂O, MeCN



L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI A novel approach to the synthesis of chiral terminal 1,2-diamines

RX(36) OF 72 - 3 STEPS




NOTE: 1) stereoselective, 2) stereoselective, 3) stereoselective


L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI First Practical Protection of α -Amino Acids as N,N-Benzyloxycarbamoyl Derivatives

RX(25) OF 28 - 2 STEPS



- 1.1. HCl, Water, THF, CH₂Cl₂
- 1.2. ClCO₂CH₂Ph, NaHCO₃, Water
- 2.1. (Me₃Si)₂N.Li, HMPT, THF
- 2.2. ClCO₂CH₂Ph
- 2.3. NH₄Cl, Water




NOTE: 2) alternative prepn. shown


L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 3-Methylxanthosine: synthesis and acidic hydrolysis of the glycosyl bond

RX(14) OF 25 - 2 STEPS





1. Pd, H₂, EtOH
2. ClCO₂Et, NaHCO₃, Water



L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Process for the preparation of butoxycarbonylimino compounds and intermediates therefor

RX(15) OF 28 - 2 STEPS





NOTE: 1) alternative prepn. shown, 2) other analogs similarly prepd.

L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of (2S,4S)- and (2S,4R)-5-fluoroleucine and (2S,4S)-[5,5-2H2]-5-fluoroleucine


RX(59) OF 69 - 3 STEPS



L22 19 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Orally active aldose reductase inhibitors derived from bioisosteric substitutions on tolrestat

RX(36) OF 156



ALL ANSWERS HAVE BEEN SCANNED

=> fil stng

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
16.05	394.48

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-5.26

CA SUBSCRIBER PRICE

FILE 'STNGUIDE' ENTERED AT 08:10:34 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: May 18, 2007 (20070518/UP).

=> fil casreact

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.36	394.84

FULL ESTIMATED COST

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE	TOTAL
ENTRY	SESSION
0.00	-5.26

CA SUBSCRIBER PRICE

FILE 'CASREACT' ENTERED AT 08:14:19 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

*
* CASREACT now has more than 12 million reactions *
*

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.



This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d chib tot abs

L22...ANSWER 1 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

144:468406 Stereoselective Synthesis of Protected (2R,3R,4S)-4,7-Diamino-2,3-dihydroxyheptanoic Acid: A Novel Amino Acid of Callipeltins A and D. Jeon, Jongho; Hong, Suk-Koo; Oh, Joon Seok; Kim, Young Gyu (School of Chemical and Biological Engineering, Seoul National University, Seoul, 151-744, S. Korea). Journal of Organic Chemistry, 71(8), 3310-3313 (English) 2006. CODEN: JOCEAH. ISSN: 0022-3263. Publisher: American Chemical Society.

GI



AB An orthogonally protected derivative I of (2R,3R,4S)-4,7-diamino-2,3-dihydroxyheptanoic acid, the unusual amino acid residue of the biol. active marine peptides such as callipeltins A and D and neamphamide A, was efficiently prepared in 10 steps and 30% overall yield from com. available Boc-Orn(Cbz)-OH. The key step includes the N-diphenylmethylene-controlled diastereoselective dihydroxylation of Cbz-ester II with >13:1 selectivity for the desired isomer.

L22...ANSWER 2 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

143:43858 Observations on the reactivity of thiyl radicals derived from 3,6-epidithiodiketopiperazine-2,5-diones and related congeners. Hilton, S. T.; Motherwell, W. B.; Potier, P.; Pradet, C.; Selwood, D. L. (Chemistry Department, Christopher Ingold Laboratories, University College London, London, WC1H 0AJ, UK). Bioorganic & Medicinal Chemistry Letters, 15(9), 2239-2242 (English) 2005. CODEN: BMCLE8. ISSN: 0960-894X. Publisher: Elsevier B.V..

AB A range of thiyl radicals derived from the reduced form of epidithiodiketopiperazines (ETPs) act as polarity reversal catalysts for the hydrosilylation of an enol lactone but not for H-atom abstraction from a model ribose ester.

L22...ANSWER 3 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

142:355257 Preparation of acyloxymethyl carbamate prodrugs of oxazolidinone bactericides with excellent oral bioavailability. Josyula, Vara Prasad Venkata Nagendra; Gadwood, Robert C.; Thomasco, Lisa Marie; Kim, Ji-Young; Choy, Allison Laura; Boyer, Frederick Earl, Jr. (Pharmacia & Upjohn Company, USA). PCT Int. Appl. WO 2005028473 A1 20050331, 85 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB,

GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW; RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB, GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG, TR. (English). CODEN: PIXXD2. APPLICATION: WO 2004-IB2983 20040913. PRIORITY: US 2003-505329P 20030923.

GI

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

AB The present invention relates to acyloxymethyl carbamate oxazolidinones (shown as I; variables defined below; e.g. [[N-acetyl[(5R)-3-[4-(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-1,3-oxazolidin-5-yl]methyl]amino]carbonyl]oxy]methyl acetate (shown as II)). These compds. have potent activity with excellent oral bioavailability against Gram-pos. and Gram-neg. bacteria. The single-dose pharmacokinetics of II and its parent compound are tabulated. For I: X is -SO-, -SO₂-, or -SONR6-; Z is -C-, -CH-, or -N-; each dotted line = nothing or a bond; each W = -CHR6-, -CHR6CH₂-, or nothing; R₁ is -NH₂, -NHC1-4alkyl, -C1-6alkyl, (un)substituted with 1-3 halo, -C2-6alkenyl, -(CH₂)_nC(O)C1-4alkyl, -OC1-4-alkyl, -SC1-4alkyl, or -(CH₂)_nC3-7cycloalkyl; R₂ and R₃ = -H, or -F; R₄ is -H, -C1-4alkyl, or -CO₂R₆; R₅ is -C1-10alkyl, -C3-7cycloalkyl, -aryl, -het, 1-OC1-10alkyl, -OC3-7cycloalkyl, -O-aryl, -O-het, -C(R₆)(R₇)NH₂, -C(R₆)(R₇)NHCOC2C1-4alkyl, -C(R₆)(R₇)NHCOC(R₆)(R₇)NH₂, or -C(R₆)(R₇)NHCOC(R₆)(R₇)NHCOC2C1-4alkyl; each R₆ = -H, or -C1-4alkyl; each R₇ = -H, -C1-4alkyl (C1-4alkyl = (un)substituted with OR₆, SR₆, CO₂R₆, CONH₂, NH₂, NHC(:NH)NH₂, Ph, het, or R₆ and R₇ taken together form heterocycle); addnl. details are given in the claims. Although the methods of preparation are not claimed, apprx.40 example preps. are included. For example, II was prepared in 6 steps (72, 93, 55, , 85, and 78 % yields) starting from chloromethyl chloroformate and ethanethiol and involving intermediates carbonothioic acid O-(chloromethyl) S-Et ester, carbonothioic acid S-Et O-(iodomethyl) ester, carbonothioic acid O-[(acetyloxy)methyl] S-Et ester, carbonochloridic acid (acetyloxy)methyl ester, and [[[[[(5S)-3-[4-(1,1-dioxidotetrahydro-2H-thiopyran-4-yl)-3-fluorophenyl]-2-oxo-1,3-oxazolidin-5-yl]methyl]amino]carbonyl]oxy]methyl acetate.

~~122~~ ANSWER 4 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

141:253652 Identification of [(naphthalene-1-carbonyl)-amino]-acetic acid derivatives as nonnucleoside inhibitors of HCV NS5B RNA dependent RNA polymerase. Gopalsamy, Ariamala; Lim, Kitae; Ellingboe, John W.; Krishnamurthy, Girija; Orlowski, Mark; Feld, Boris; van Zeijl, Marja; Howe, Anita Y. M. (Chemical and Screening Sciences, Wyeth Research, Pearl River, NY, 10965, USA). Bioorganic & Medicinal Chemistry Letters, 14(16), 4221-4224 (English) 2004. CODEN: BMCLE8. ISSN: 0960-894X. Publisher: Elsevier Science B.V..

AB A novel series of HCV NS5B RNA dependent RNA polymerase inhibitors containing a naphthalene carboxamide scaffold were identified by high throughput screening. Optimization of substituents by parallel synthesis and the iterative design towards understanding structure-activity relationship to improve potency are described. Tetra substituted naphthalene 31 displayed potent activity with IC₅₀ of 120 nM against HCV NS5B enzyme and was selective over a panel of polymerases.

~~122~~ ANSWER 5 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

141:23872 First Practical Protection of α -Amino Acids as N,N-Benzylloxycarbamoyl Derivatives. Hernandez, J. Nicolas; Martin, Victor

S. (Instituto Universitario de Bio-Organica "Antonio Gonzalez", Universidad de La Laguna, La Laguna, 38206, Spain). Journal of Organic Chemistry, 69(10), 3590-3592 (English) 2004. CODEN: JOCEAH. ISSN: 0022-3263. Publisher: American Chemical Society.

- AB The consecutive treatment of N-Cbz amino protected compds. with LiHMDS and CbzCl provides a practical method for the preparation of N,N-di-Cbz derivs. in good yields. When α -amino acids are used the protection occurs without racemization. The method is compatible with a wide range of other functional and protecting groups. The procedure is also valid for the synthesis of mixed N,N-carbamoyl derivs.

~~L22 ANSWER 6 OF 19~~ CASREACT COPYRIGHT 2007 ACS on STN

140:391462 Synthesis of (2S,4S)- and (2S,4R)-5-fluoroleucine and (2S,4S)-[5,5-2H₂]-5-fluoroleucine. Charrier, Jean-Damien; Hadfield, David S.; Hitchcock, Peter B.; Young, Douglas W. (Sussex Centre for Biomolecular Design and Drug Discovery, Department of Chemistry, University of Sussex, Brighton, BN1 9QJ, UK). Organic & Biomolecular Chemistry, 2(4), 474-482 (English) 2004. CODEN: OBCRAK. ISSN: 1477-0520. Publisher: Royal Society of Chemistry.

- AB Syntheses of (2S,4S)- and (2S,4R)-5-fluoroleucine (1a and 2) and of (2S,4S)-[5,5-2H₂]-5-fluoroleucine have been completed. The methodol. allows these compds. to be prepared in sufficient quantities for incorporation by solid-state protein synthesis into strategic sites in proteins for folding studies. X-ray structures of the epimers 1a and 2 have been obtained and show the presence of conformational isomerism. The torsion angles between the F-C bond and the main chain are compared with values found in a mutant of the protein ubiquitin in which (2S,4S)-5-fluoroleucine replaces leucine residues 50 and 67 in the native protein.

~~L22 ANSWER 7 OF 19~~ CASREACT COPYRIGHT 2007 ACS on STN

138:385601 Niobium pentachloride promoted conversion of carboxylic acids to carboxamides: Synthesis of the 4-aryl-1,2,3,4-tetrahydroisoquinoline alkaloid structures. Nery, Marcelo S.; Ribeiro, Renata P.; Lopes, Claudio C.; Lopes, Rosangela S. C. (Instituto de Quimica, Departamento de Quimica Analitica, Universidade Federal do Rio de Janeiro, Instituto de Quimica, Departamento de Quimica Analitica, CT,, Bl. A, 5° andar, s-508, Rio de Janeiro, CEP-21949 900, Brazil). Synthesis (2), 272-276 (English) 2003. CODEN: SYNTBF. ISSN: 0039-7881. Publisher: Georg Thieme Verlag.

- AB A practical method for the conversion of carboxylic acids to the corresponding carboxamides mediated by niobium pentachloride under mild conditions is described. The synthesis of the 4-aryl-1,2,3,4-tetrahydroisoquinoline alkaloid structures was accomplished via benzylic lithiation of N-methyl-3,4-dimethoxy-2-(4'-methoxybenzyl)benzamide.

~~L22 ANSWER 8 OF 19~~ CASREACT COPYRIGHT 2007 ACS on STN

138:106962 Synthesis of the Unnatural Amino Acid AGDHE, a Constituent of the Cyclic Depsipeptides Callipeltins A and D. Thoen, Jason C.; Morales-Ramos, Angel I.; Lipton, Mark A. (Department of Chemistry, Purdue University, West Lafayette, IN, 47907-1393, USA). Organic Letters, 4(25), 4455-4458 (English) 2002. CODEN: ORLEF7. ISSN: 1523-7060. Publisher: American Chemical Society.

- AB The novel amino acid residue (2R,3R,4S)-4-amino-7-guanidino-2,3-dihydroxyheptanoic acid (AGDHE; an amino acid of the cyclic depsipeptides callipeltins A and D), and its (2S,3S,4S) diastereomer were synthesized from a protected L-ornithine derivative, Boc-Orn(Cbz)-OH, in 13 steps (15% overall yield). Configurational assignment of AGDHE was reexamd. by 1H NMR.

L22 ANSWER 9 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

138:68805 Aspartyl phosphonates and phosphoramidates: the first synthetic inhibitors of bacterial aspartate-semialdehyde dehydrogenase. Cox, Russell J.; Gibson, Jennifer S.; Martin, Maria Belen Mayo (School of Chemistry, University of Bristol, Bristol, BS8 1AS, UK). ChemBioChem, 3(9), 874-886 (English) 2002. CODEN: CBCHFX. ISSN: 1439-4227. Publisher: Wiley-VCH Verlag GmbH.

AB The synthesis of methylene phosphonate, difluoromethylene phosphonate and phosphoramidate analogs of aspartyl phosphate, together with reduced analogs, is described. These compds. were shown to be effective inhibitors of aspartate-semialdehyde dehydrogenase (ASA-DH) from *Escherichia coli*. However, despite the structural similarity of the compds., different patterns of inhibition were observed, indicative of two phases of recognition and binding. Correlation between measured inhibition consts. with pKa values supports the theory that binding at the phosphate binding site is optimized for singly ionized phosphate analogs.

~~L22: ANSWER 10 OF 19 CASREACT~~ COPYRIGHT 2007 ACS on STN

137:353201 A Practical Synthesis of Cabergoline. Ashford, Scott W.; Henegar, Kevin E.; Anderson, Andrew M.; Wuts, Peter G. M. (Chemical Process Research and Development, Pharmacia Corporation, Kalamazoo, MI, 49001, USA). Journal of Organic Chemistry, 67(20), 7147-7150 (English) 2002. CODEN: JOCEAH. ISSN: 0022-3263. Publisher: American Chemical Society.

AB Cabergoline is an N-acylurea derived from 9,10-dihydrolyzergic acid, which is a potent prolactin inhibitor. It is marketed by Pharmacia as Dostinex for the treatment of hyperprolactinemia and is currently under active development for the treatment of a variety of CNS disorders. In the existing process, the N-acylurea is formed by the reaction of an amide with a large excess of Et isocyanate at elevated temps. An improved process was developed that eliminates this hazardous reaction. The amide is reacted with Ph chloroformate and then with ethylamine, which provides a mild and efficient means of forming the unsym. N-acylurea.

L22 ANSWER 11 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

134:237196 A novel approach to the synthesis of chiral terminal 1,2-diamines. Markidis, Theodoros; Kokotos, George (Laboratory of Organic Chemistry Department of Chemistry, University of Athens, Panepistimiopolis Athens, 15771, Greece). Journal of Organic Chemistry, 66(5), 1919-1923 (English) 2001. CODEN: JOCEAH. ISSN: 0022-3263. Publisher: American Chemical Society.


AB The authors have developed a novel general method for the synthesis of enantiomerically pure 1,2-diamines, e.g., (2S,5Z)-RCH:CH(CH₂)₂CH(NH₂)CH₂NH₂·(HCl)₂, using the aldehydes (2S)-OHC(CH₂)_nCH(NBoc₂)CH₂N₃ (I, n = 1, 2), as key intermediates. I were coupled with phosphorus ylides to give unsatd. azides, which were reduced to amines. The strengths of the method are in its (1) simplicity and efficiency; (2) flexibility with respect to the substituent groups that can be introduced through the olefination reaction and the chirality of the product, which depends on the chirality of Glu or Asp; and (3) applicability to the development of new 1,2-diamines with desired target structures for biol. studies.

L22 ANSWER 12 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

134:56663 Process for the preparation of butoxycarbonylimino compounds and intermediates therefor. Dowle, Michael Dennis; Howes, Peter David; Robinson, John Edward; Trivedi, Naimish (Glaxo Group Limited, UK). PCT Int. Appl. WO 2000078723 A1 20001228, 27 pp. DESIGNATED STATES: W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, DZ, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, VZ, VN, YU, ZA, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM;

RW: AT, BE, BF, BJ, CF, CG, CH, CI, CM, CY, DE, DK, ES, FI, FR, GA, GB,
GR, IE, IT, LU, MC, ML, MR, NE, NL, PT, SE, SN, TD, TG. (English).
CODEN: PIXXD2. APPLICATION: WO 2000-GB2355 20000616. PRIORITY: GB
1999-14306 19990619.

GI




AB Pyrazole derivs. I (R = alkyl, aryl, alkoxy, aryloxy, amino acid residue, etc.) were prepared by treatment of intermediates II or III (same R) with a metal salt such as $Mg(ClO_4) \cdot 6H_2O$ (IV). Thus, 11 g of IV was added to a stirred suspension of 195 g of III (R = Me_3CO), and the mixture was stirred and warmed to 45° , then maintained at 50° for 2 h to give 118 g of I (same R).

L22 ANSWER 13 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

132:279222 Preparation of sulfur-containing heterocycle carbamate derivatives as herbicides. Chiba, Yutaka; Matsuno, Hiromi; Ozawa, Shuji; Eda, Sadafumi; Hirase, Kangetsu (Mitsui Chemicals Inc., Japan). Jpn. Kokai Tokkyo Koho JP 2000109477 A 20000418, 42 pp. (Japanese). CODEN: JKXXAF. APPLICATION: JP 1998-283067 19981005.

GI




AB The title compds. (I; R-R4 = H, C1-4 alkyl, cycloalkyl; W = NH, O, S, SO, SO2; Y = C1-4 alkyl, cycloalkyl, haloalkyl, alkoxy, haloalkoxy, alkylthio, haloalkylthio, alkylsulfanyl, haloalkylsulfanyl, alkylsulfonyl, haloalkylsulfonyl, alkylsulfonamido, haloalkylsulfonamido, halo, acyl, cyano, NO2; m = 1,2; n = 0-2; q = 1-3) are prepared via several synthetic routes. These compds. are quite safe and exhibit excellent herbicidal activity against weeds of rice paddy and upland. Thus, (1,3-oxathian-2-yl)methylamine was added to a solution of 2-[(imidazol-1-ylcarbonyl)oxy]-1-[3-(trifluoromethyl)phenoxy]butane in THF and stirred at 60° for 12 h to give 2-[N-[(1,3-oxathian-2-yl)methyl]carbamoyloxy]-1-[3-(trifluoromethyl)phenoxy]butane (II). II at 0.3 kg/ha preemergence completely controlled *Echinochloa crus-galli*, *Monochoria vaginalis*, *Scirpus juncoides*, and *Sagittaria pygmaean* and did not damage rice seedlings.

L22 ANSWER 14 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

132:137179 Preparation of acyl-substituted carbamates and herbicides comprising them. Matsuno, Hiromi; Chiba, Yutaka; Ozawa, Shuji; Eta, Sadafumi; Hirase, Kangetsu (Mitsui Chemicals Inc., Japan). Jpn. Kokai

GI




AB Title compds. I (R1 = H, C1-4 alkyl, cycloalkyl; R2 = alkylthioalkyl, cycloalkylthioalkyl, alkenylthioalkyl, alkynylthioalkyl, etc.; X = O, S, NR6; R3, R6 = C1-4 alkyl, cycloalkyl, substituted Ph; Y = C1-4 alkyl, cycloalkyl, haloalkyl, alkoxy, etc.; m = 1-5) are prepared by, for instance, reaction of II (R1, R2, Y, m = same as I) with QC(X)R3 (R3, X = same as I; Q = leaving group). 2-[[N-[2-(methylthio)-1-ethyl]carbamoyl]oxy]-1-[3-(trifluoromethyl)phenoxy]butane (0.70 g) was reacted with 0.34 g benzoyl chloride in the presence of NaH in DMF at 4° to room temperature for 2.5 h to give 0.56 g 2-[[N-benzoyl-N-[2-(methylthio)-1-ethyl]carbamoyl]oxy]-1-[3-(trifluoromethyl)phenoxy]butane showing good herbicidal activity.

L22 ANSWER 15 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

125:33255 New Versatile Fluorinated Chiral Building Blocks: Synthesis and Reactivity of Optically Pure α -(Fluoroalkyl)- β -sulfinylenamines. Arnone, Alberto; Bravo, Pierfrancesco; Capelli, Silvia; Fronza, Giovanni; Meille, Stefano V.; Zanda, Matteo; Cavicchio, Giancarlo; Crucianelli, Marcello (Dipartimento di Chimica, Politecnico Milano, Milan, I-20133, Italy). Journal of Organic Chemistry, 61(10), 3375-87 (English) 1996. CODEN: JOCEAH. ISSN: 0022-3263. Publisher: American Chemical Society.

GI



AB Efficient synthesis of optically pure α -(fluoroalkyl)- β -sulfinyl enamines I [Tol = 4-MeC6H4; R = CF3, CF2H, CF2Cl, CF2CF3, CFH2; R1 = H, CO2CH2Ph (Z)] has been achieved by aza-Wittig reaction of triphenyliminophosphoranes Ph2P:NR1 (R1 = Z, H, SiMe3) with the corresponding α -fluorinated- α' -sulfinyl ketones II. I showed an overwhelming preference for the Z stereochem. of the enamine form. Their general reactivity has been studied. The reaction with some electrophiles (i.e. benzyl chloroformate and benzyl and allyl bromide) occurs at the nitrogen atom providing the corresponding N,N-disubstituted enamines. Nucleophiles add smoothly to C-2: heteroatom-centered nucleophiles like methanol, ammonia, and thiophenol afford gem-disubstituted derivs. under thermodyn. control, while a C-centered nucleophile like nitromethane adds in irreversible fashion. The hydride-

and deuteride-promoted reduction of I to α -fluorinated- α' -sulfinyl amines III ($R_2 = H, D$) has been studied. Hydride addition was stereoselective, while low stereoselection was obtained with the other tested nucleophiles. Desulfurization of optically pure sulfinylamine III ($R = CF_3, R_1 = R_2 = H$) afforded (R)-1-(trifluoromethyl)ethylamine. The Pummerer rearrangement of III ($R = CF_3, R_1 = Z$) occurs in an unusual nonoxidative way affording sulfenamides IV, that readily provided (R)-3,3,3-trifluoroalaninol and its 2-deutero analog, and (R)-3,3,3-trifluoroalanine.

L22 ANSWER 16 OF 19 CASREACT COPYRIGHT 2007 ACS on STN


123:170105 N,N-dialkoxycarbonylamino acids from the sodium hydride-mediated reaction of alkyl chloroformates with mixed anhydrides of N-alkoxycarbonylamino acids. Benoiton, N. Leo; Akyurekli, Deniz; Chen, Francis M. F. (Dep. Biochem., Univ. Ottawa, Ottawa, ON, Can.). International Journal of Peptide & Protein Research, 45(5), 466-70 (English) 1995. CODEN: IJPPC3. ISSN: 0367-8377. Publisher: Munksgaard.

AB Reaction of protected amino acid mixed anhydrides $R_1NHCHR_2CO_2CO_2R_3$ ($R_1 = PhCH_2O_2C, Me_3CO_2C$; $R_2 = Me, CHMe_2, CH_2CHMe_2$; $R_3 = Me, Et, CH_2Ph, CH_2CH:CH_2$) with NaH and chloroformates $ClCO_2R_3$ followed by acid hydrolysis gives modest yields of title compds. $R_3O_2CNR_1CHR_2CO_2H$. The products are contaminated by parent acids $R_1NHCHR_2CO_2H$ that are not readily removed. Crossover expts. show that about 75% of the acylation originates from intramol. transfer of the alkyl carbonate moiety; the remainder comes from acylation by the alkyl chloroformate.

L22 ANSWER 17 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

113:191866 1-Hydroxy-3-amino-2-piperidone (δ -N-hydroxycycloornithine) derivatives: key intermediates for the synthesis of hydroxamate-based siderophores. Kolasa, Teodozyj; Miller, Marvin J. (Dep. Chem., Univ. Notre Dame, Notre Dame, IN, 46556, USA). Journal of Organic Chemistry, 55(6), 1711-21 (English) 1990. CODEN: JOCEAH. ISSN: 0022-3263.

GI




AB Several routes for the synthesis of δ -N-(benzyloxy)cycloornithine (I, $R = CO_2CH_2Ph, CO_2CH_2CH:CH_2, phthalimido$) from glutamic acid-derived starting materials were developed. Efficient methods were developed for the synthesis of glutamic acid γ -semialdehyde and δ -hydroxynorvaline derivs. as key substrates for preparation of δ -N-hydroxynorvaline analogs. Thus, the best approaches to the synthesis of I were reductive cyclization of an N-hydroxysuccinimide ester of the O-benzyloxime of α -amino-protected glutamic acid γ -semialdehyde (II) or cyclization of the N-(benzyloxy)amide of δ -bromonorvaline (III).

L22 ANSWER 18 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

112:77811 3-Methylxanthosine: synthesis and acidic hydrolysis of the glycosyl bond. Itaya, Taisuke; Harada, Tsunehiro (Fac. Pharm. Sci., Kanazawa Univ., Takara, 920, Japan). Chemical & Pharmaceutical Bulletin, 37(5), 1235-8 (English) 1989. CODEN: CPBTAL. ISSN: 0009-2363.

GI




AB An improved synthesis of 3,9-dimethylxanthine (I; R = Me) was achieved via the reaction of 1-methyl-5-(methylamino)-imidazole-4-carboxamide with EtOCOCl in acetate buffer (pH 5) followed by treatment with aqueous NaOH. This method was successfully applied to the synthesis of 3-methylxanthosine (I; R = β -D-ribofuranosyl) (II), whose N-glycosidic bond proved to be remarkably sensitive to acidic hydrolysis: II underwent hydrolysis at a rate more than 1000 times faster than that of xanthosine in 1.0N aqueous HCl at 25°.

L22 ANSWER 19 OF 19 CASREACT COPYRIGHT 2007 ACS on STN

111:195363 Orally active aldose reductase inhibitors derived from bioisosteric substitutions on tolrestat. Wrobel, Jay; Millen, Jane; Sredy, Janet; Dietrich, Arlene; Kelly, Joseph M.; Gorham, Beverly J.; Sestan, Kazimir (Wyeth-Ayerst Res. Inc., Princeton, NJ, 08543-8000, USA). Journal of Medicinal Chemistry, 32(11), 2493-500 (English) 1989. CODEN: JMCMAR. ISSN: 0022-2623.

GI



AB A series of aldose reductase inhibitors was prepared in which structural modifications were made to three positions of the potent, orally active inhibitor tolrestat (I, R = Me, R1 = OMe, X = S) (II), namely, the 6-methoxy substituent, thioamide S, and the N-Me moiety. These compounds were evaluated in two in vitro systems: an isolated enzyme preparation from bovine lens to assess their intrinsic inhibitory activity and an isolated rat sciatic nerve assay to determine their ability to penetrate membranes of nerve tissue. These compounds were also evaluated in vivo as inhibitors of galactitol accumulation in the lens, sciatic nerve, and diaphragm of galactose-fed rats. Bioisosteric replacement of the 6-methoxy group with a methylthio substituent gave I (R = Me, R1 = SMe, X = S) (III), and replacement of the thioamide substituent with a cyanoamidine gave I (R = Me, R1 = OMe, X = NCN) (IV). Both III and IV retained high in vitro potency but were less potent in vivo than II. Replacement of the N-Me

group by a carbomethoxy moiety gave I (R = CO₂Me, R₁ = OMe, X = S) and led to a substantial reduction in activity in each of the three assays employed. However, this same structural modification of oxotolrestat led to I (R = CO₂Me, R₁ = OMe, X = O) and resulted in an enhancement of the intrinsic activity and a comparable in vivo potency. The isolated nerve data suggest that some compds. in these series do not readily penetrate into peripheral nerves, and this presumably is a factor in their lack of oral activity.

=> fil stng

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

51.37

446.21

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

-13.87

-19.13

FILE 'STNGUIDE' ENTERED AT 08:14:36 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: May 18, 2007 (20070518/UP).

=> log hold

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.06

446.27

DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)

SINCE FILE

TOTAL

ENTRY

SESSION

CA SUBSCRIBER PRICE

0.00

-19.13

SESSION WILL BE HELD FOR 120 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 08:14:50 ON 21 MAY 2007

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	664	"asymmetric hydrolysis"	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 13:37
L2	84990	candida or humicola or mucor or pseudomonas or rhizopus or brevundimonas or cellulomonas or jensenia or rhodococcus or saccharamycopsis or trichosporon	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 13:38
L3	278	I1 and I2	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 13:38
L4	974038	ester	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 13:38
L5	226	I3 and I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 13:38
L6	76	"asymmetric hydrolysis".ti.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 13:38
L7	22	I6 and I2 and I4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/05/21 13:39

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:ssptasjl1626

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page for STN Seminar Schedule - N. America
NEWS	2	JAN 08	CHEMLIST enhanced with New Zealand Inventory of Chemicals
NEWS	3	JAN 16	CA/Caplus Company Name Thesaurus enhanced and reloaded
NEWS	4	JAN 16	IPC version 2007.01 thesaurus available on STN
NEWS	5	JAN 16	WPIDS/WPINDEX/WPIX enhanced with IPC 8 reclassification data
NEWS	6	JAN 22	CA/Caplus updated with revised CAS roles
NEWS	7	JAN 22	CA/Caplus enhanced with patent applications from India
NEWS	8	JAN 29	PHAR reloaded with new search and display fields
NEWS	9	JAN 29	CAS Registry Number crossover limit increased to 300,000 in multiple databases
NEWS	10	FEB 15	PATDPASPC enhanced with Drug Approval numbers
NEWS	11	FEB 15	RUSSIAPAT enhanced with pre-1994 records
NEWS	12	FEB 23	KOREAPAT enhanced with IPC 8 features and functionality
NEWS	13	FEB 26	MEDLINE reloaded with enhancements
NEWS	14	FEB 26	EMBASE enhanced with Clinical Trial Number field
NEWS	15	FEB 26	TOXCENTER enhanced with reloaded MEDLINE
NEWS	16	FEB 26	IFICDB/IFIPAT/IFIUDB reloaded with enhancements
NEWS	17	FEB 26	CAS Registry Number crossover limit increased from 10,000 to 300,000 in multiple databases
NEWS	18	MAR 15	WPIDS/WPIX enhanced with new FRAGHITSTR display format
NEWS	19	MAR 16	CASREACT coverage extended
NEWS	20	MAR 20	MARPAT now updated daily
NEWS	21	MAR 22	LWPI reloaded
NEWS	22	MAR 30	RDISCLOSURE reloaded with enhancements
NEWS	23	APR 02	JICST-EPLUS removed from database clusters and STN
NEWS	24	APR 30	GENBANK reloaded and enhanced with Genome Project ID field
NEWS	25	APR 30	CHEMCATS enhanced with 1.2 million new records
NEWS	26	APR 30	CA/Caplus enhanced with 1870-1889 U.S. patent records
NEWS	27	APR 30	INPADOC replaced by INPADOCDB on STN
NEWS	28	MAY 01	New CAS web site launched
NEWS	29	MAY 08	CA/Caplus Indian patent publication number format defined
NEWS	30	MAY 14	RDISCLOSURE on STN Easy enhanced with new search and display fields
NEWS	31	MAY 21	BIOSIS reloaded and enhanced with archival data
NEWS	32	MAY 21	TOXCENTER enhanced with BIOSIS reload
NEWS	33	MAY 21	CA/Caplus enhanced with additional kind codes for German patents

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT
MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP),
AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS LOGIN Welcome Banner and News Items

NEWS IPC8 For general information regarding STN implementation of IPC 8

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

***** STN Columbus *****

FILE 'HOME' ENTERED AT 14:42:13 ON 21 MAY 2007

=> fil casreact

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.21

0.21

FILE 'CASREACT' ENTERED AT 14:42:21 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

*
* CASREACT now has more than 12 million reactions *
*

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-hydrolase.str

L1 STRUCTURE UPLOADED

=> s l1 sam

SAMPLE SEARCH INITIATED 14:43:03 FILE 'CASREACT'

SCREENING COMPLETE - 13140 REACTIONS TO VERIFY FROM

970 DOCUMENTS

38.1% DONE 5000 VERIFIED 95 HIT RXNS

2 DOCS

INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)

SEARCH TIME: 00.00.02

FULL FILE PROJECTIONS: ONLINE **COMPLETE**

BATCH **COMPLETE**

PROJECTED VERIFICATIONS: 255992 TO 269608

PROJECTED ANSWERS: 2 TO 303

L2 2 SEA SSS SAM L1 (95 REACTIONS)

=> d scan

L2 2 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of iso-epoxy-amphidinolide N and des-epoxy-caribenolide I structures. Revised strategy and final stages


RX(38) OF 636 - REACTION DIAGRAM NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):1

L2 2 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI A general route to the Streptomyces-derived inthomycin family: the first synthesis of (+)-inthomycin B

RX(12) OF 234



ALL ANSWERS HAVE BEEN SCANNED

=> fil stng

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.90

1.11

FILE 'STNGUIDE' ENTERED AT 14:43:22 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: May 18, 2007 (20070518/UP).

=> fil casreact

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.12

1.23

FILE 'CASREACT' ENTERED AT 14:44:32 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

```
*****
*
*      CASREACT now has more than 12 million reactions
*
*****
```

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-hydrolase2.str

L3 STRUCTURE UPLOADED

=> s l3 sam

SAMPLE SEARCH INITIATED 14:44:49 FILE 'CASREACT'

SCREENING COMPLETE - 13140 REACTIONS TO VERIFY FROM 970 DOCUMENTS

38.1% DONE 5000 VERIFIED 40 HIT RXNS 2 DOCS
INCOMPLETE SEARCH (SYSTEM LIMIT EXCEEDED)
SEARCH TIME: 00.00.01

FULL FILE PROJECTIONS: ONLINE **COMPLETE**
 BATCH **COMPLETE**

PROJECTED VERIFICATIONS: 255992 TO 269608

PROJECTED ANSWERS: 2 TO 303

L4 2 SEA SSS SAM L3 (40 REACTIONS)

=> d scan

L4 2 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of iso-epoxy-amphidinolide N and des-epoxy-caribenolide I
 structures. Revised strategy and final stages

RX(38) OF 636 - REACTION DIAGRAM NOT AVAILABLE

HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):0

=> fil stng

COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.45	1.68

FULL ESTIMATED COST

FILE 'STNGUIDE' ENTERED AT 14:45:01 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: May 18, 2007 (20070518/UP).

=> s l3 sss full

SUBSTANCE QUERIES NOT VALID IN THIS FILE

The logic expression entered contains L#s or saved query names which correspond to structures built by the STRUCTURE command or to screen

sets. These must be searched in a substance file such as the REGISTRY file. In some files you may use a Registry Number answer set from a structure search as a search term or profile in some bibliographic file containing Registry Numbers, e.g. the CA file. For an explanation, enter "HELP CROSSOVER" at an arrow prompt (=>).

=> fil casreact

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.12	1.80

FILE 'CASREACT' ENTERED AT 14:46:27 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

*
* CASREACT now has more than 12 million reactions *
*

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> s l3 sss full

FULL SEARCH INITIATED 14:46:30 FILE 'CASREACT'
SCREENING COMPLETE - 255666 REACTIONS TO VERIFY FROM 19193 DOCUMENTS

98.7% DONE	252245 VERIFIED	417 HIT RXNS (3 INCOMP)	146 DOCS
100.0% DONE	255666 VERIFIED	418 HIT RXNS (3 INCOMP)	147 DOCS

SEARCH TIME: 00.00.32

L5 147 SEA SSS FUL L3 (418 REACTIONS)

=> sav tem hyd553394/a

ENTER L#, L# RANGE, ALL, OR (END):15

=> fil stng

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	114.00	115.80

FILE 'STNGUIDE' ENTERED AT 14:47:25 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE
AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.
LAST RELOADED: May 18, 2007 (20070518/UP).

=> fil casreact
COST IN U.S. DOLLARS

SINCE FILE	TOTAL
ENTRY	SESSION
0.12	115.92

FILE 'CASREACT' ENTERED AT 14:48:54 ON 21 MAY 2007
USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT
COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

```
*****
*
*   CASREACT now has more than 12 million reactions
*
*****
```

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=>

Uploading C:\Program Files\Stnexp\Queries\10553394-hydrolase4.str

L6 STRUCTURE UPLOADED

=> s l6 sub=l5 sam

SAMPLE SUBSET SEARCH INITIATED 14:49:18 FILE 'CASREACT'

SCREENING COMPLETE - 50 REACTIONS TO VERIFY FROM 7 DOCUMENTS

100.0% DONE 50 VERIFIED 0 HIT RXNS 0 DOCS

SEARCH TIME: 00.00.01

PROJECTIONS (WITHIN SPECIFIED SUBSET):	ONLINE	**COMPLETE**
PROJECTED VERIFICATIONS (WITHIN SPECIFIED SUBSET):	576 TO	1424
PROJECTED ANSWERS (WITHIN SPECIFIED SUBSET):	0 TO	0

L7 0 SEA SUB=L5 SSS SAM L6 (0 REACTIONS)

=> s l6 sub=l5 sss full

FULL SUBSET SEARCH INITIATED 14:49:27 FILE 'CASREACT'

SCREENING COMPLETE - 418 REACTIONS TO VERIFY FROM 147 DOCUMENTS

100.0% DONE 418 VERIFIED 61 HIT RXNS (1 INCOMP) 27 DOCS

SEARCH TIME: 00.00.01

L8 27 SEA SUB=L5 SSS FUL L6 (61 REACTIONS)

=> d his

(FILE 'HOME' ENTERED AT 14:42:13 ON 21 MAY 2007)

FILE 'CASREACT' ENTERED AT 14:42:21 ON 21 MAY 2007

L1 STRUCTURE UPLOADED

L2 2 S L1 SAM

FILE 'STNGUIDE' ENTERED AT 14:43:22 ON 21 MAY 2007

L3 FILE 'CASREACT' ENTERED AT 14:44:32 ON 21 MAY 2007
STRUCTURE UPLOADED

L4 2 S L3 SAM

FILE 'STNGUIDE' ENTERED AT 14:45:01 ON 21 MAY 2007

L5 FILE 'CASREACT' ENTERED AT 14:46:27 ON 21 MAY 2007
147 S L3 SSS FULL
SAV TEM HYD553394/A L5

FILE 'STNGUIDE' ENTERED AT 14:47:25 ON 21 MAY 2007

L6 FILE 'CASREACT' ENTERED AT 14:48:54 ON 21 MAY 2007
STRUCTURE UPLOADED


L7 0 S L6 SAM SUB=L5

L8 27 S L6 SSS FULL SUB=L5

=> d 16

L6 HAS NO ANSWERS

L6 STR



Ak¹

Cb²


G1 [@1], [@2]

Structure attributes must be viewed using STN Express query preparation.

=> d 13

L3 HAS NO ANSWERS

L3 STR



Ak¹

Cb²

G1 [@1], [@2]


Structure attributes must be viewed using STN Express query preparation.

=> d scan

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Syntheses of 20'-deoxyvinblastine, 20'-deoxyleurosidine, 20'-deoxyvincovaline, 20'-epi-20'-deoxyvincovaline, and 20'-deoxyvincristine and its 20'-epimer through racemic and enantioselectively generated intermediates. New syntheses of D/E-cis- and trans- Ψ -vincadifformines and D/E-cis- and -trans-20-epi- Ψ -vincadifformines

RX(31) OF 363




HOW MANY MORE ANSWERS DO YOU WISH TO SCAN? (1):26

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Asymmetric synthesis of 5- and 6-membered lactones from cyclic substrates bearing a C2-chiral auxiliary

RX(86) OF 104 - 3 STEPS




NOTE: 3) thermal

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Asymmetric synthesis of protected α -alkyl β -amino δ -hydroxy esters by stereocontrolled elaboration of THYM


RX(11) OF 103



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Sulfur-mediated radical cyclization reactions on solid support


RX(6) OF 64



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Formal total synthesis of (+)-herbertene-1,13-diol and (+)- α -herbertenol via Ireland ester Claisen rearrangement and RCM reaction sequence


RX(6) OF 74



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI The first total synthesis of (+)-lagopodin A


RX(15) OF 226



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of δ -lactones. V. Synthesis of 3-alkyl δ -lactones


RX(40) OF 72 - 2 STEPS



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Preparative bioorganic chemistry. XI. Preparation of the enantiomers of paraconic acid employing lipase-mediated asymmetric hydrolysis of prochiral diacetates as the key step

RX(32) OF 53 - 4 STEPS




NOTE: 3) lipase MY, 4) Jones' reagent

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of enantiomerically enriched α -trifluoromethylated acids, esters and ketones

RX(2) OF 6




NOTE: enzymic, stereoselective

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis of monosubstituted succinic acids from tert-butyl succinate


RX(11) OF 42



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Structure-activity relationships of the peptide deformylase inhibitor BB-3497: modification of the methylene spacer and the P1' side chain



RX(49) OF 653



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Construction of vicinal quaternary carbon atoms by Ireland ester Claisen rearrangement: total synthesis of (\pm)-herbertenolide, (\pm)-herberteneacetal, (\pm)-herbertene-1,14-diol and (\pm)-herbertene-1,15-diol



RX(4) OF 116



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Design and synthesis of an orally active matrix metalloproteinase inhibitor



RX(27) OF 341



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Enol ethers. XVI. Synthesis of 4-hydroxy-2H-pyran-2-ones

RX(13) OF 67




K

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN


TI Asymmetric amino acid synthesis: preparation of the β anion derived from aspartic acid

RX(16) OF 66



stereoisomers

$\xrightarrow{\text{LiOH, MeOH, Water}}$




stereoisomers

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN


TI Preparation of [(benzoxazolylamino)alkoxy]phenylalkanoates and analogs as hypoglycemics

RX(1) OF 63



(step 1)


$\xrightarrow{\begin{array}{l} 1. \text{ NaOH, Water, MeOH} \\ 2. \text{ HCl, Water} \end{array}}$



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Design of a new macrocyclic sulfonamide peptidomimetics and synthesis of the precursors

RX(13) OF 13 - 4 STEPS



1.1. NaH, Hexane

2.1. EtOH


2.2. KOH, Water

3. Ac₂O

4.1. Allyl alcohol, $\xrightarrow{\hspace{1cm}}$

NaH, THF

4.2. THF





83%

NOTE: 2) reflux, 3) 100.degree., 4) controlled temp.

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and structure-antifungal activity relationships of
3-aryl-5-alkyl-2,5-dihydrofuran-2-ones and their carbanalogues: further
refinement of tentative pharmacophore group


RX(24) OF 314



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI The first total synthesis of a bioactive metabolite, a spirobenzofuran
isolated from the fungi Acremonium sp. HKI 0230


RX(3) OF 117



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Room Temperature Hydroamination of N-Alkenyl Ureas Catalyzed by a Gold(I) N-Heterocyclic Carbene Complex


RX(10) OF 57



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Synthesis and reactivity of methyl γ -azidobutyrate and ethyl 8-azidovalerate and of the corresponding acid chlorides as useful reagents for the aminoalkylation

RX(13) OF 198




L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN


TI Non-proteinogenic amino acid synthesis. The β -anion derived from

aspartic acid, and its application to α -amino acid synthesis

RX(11) OF 42



$\xrightarrow{\text{LiOH, MeOH, Water}}$




NOTE: 57% overall


L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Stereoselective synthesis of enantiomerically pure 4,5-disubstituted pyrrolidinones from β -amino esters

RX(8) OF 41



1. NaOH, MeOH
2. HCl
3. AcOEt $\xrightarrow{\hspace{1cm}}$




NOTE: STEREOSELECTIVE

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI 2-(3-Aminopropyl)-4-pentenoic acid as a bio-compatible/cleavable linker for solid-phase organic synthesis



RX(3) OF 17



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Strategy in Inhibition of Cathepsin B, A Target in Tumor Invasion and Metastasis


RX(2) OF 118



L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN


TI The effect of fluoromethyl groups on the diastereoselectivity in the electrophilic alkylation

RX(29) OF 224



(step 1)

1. NaOH, Water, EtOH
2. HCl, Water, Et2O





88%

L8 27 ANSWERS CASREACT COPYRIGHT 2007 ACS on STN

TI Pesticidal aromatic and alicyclic substituted acetates

RX(1) OF 12



ALL ANSWERS HAVE BEEN SCANNED

=> fil stng

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

16.05

131.97

FILE 'STNGUIDE' ENTERED AT 14:50:55 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY, JAPAN SCIENCE

AND TECHNOLOGY CORPORATION, AND FACHINFORMATIONSZENTRUM KARLSRUHE

FILE CONTAINS CURRENT INFORMATION.

LAST RELOADED: May 18, 2007 (20070518/UP).

=> fil casreact

COST IN U.S. DOLLARS

SINCE FILE

TOTAL

ENTRY

SESSION

FULL ESTIMATED COST

0.12

132.09

FILE 'CASREACT' ENTERED AT 14:52:10 ON 21 MAY 2007

USE IS SUBJECT TO THE TERMS OF YOUR CUSTOMER AGREEMENT

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications.

FILE CONTENT:1840 - 19 May 2007 VOL 146 ISS 22

New CAS Information Use Policies, enter HELP USAGETERMS for details.

 *
 * CASREACT now has more than 12 million reactions *
 *

Some CASREACT records are derived from the ZIC/VINITI database (1974-1999) provided by InfoChem, INPI data prior to 1986, and Biotransformations database compiled under the direction of Professor Dr. Klaus Kieslich.

This file contains CAS Registry Numbers for easy and accurate substance identification.

=> d l8 tot chib ti

L8 ANSWER 1 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

146:45449 Room Temperature Hydroamination of N-Alkenyl Ureas Catalyzed by a Gold(I) N-Heterocyclic Carbene Complex. Bender, Christopher F.; Widenhoefer, Ross A. (P. M. Gross Chemical Laboratory, Duke University, Durham, NC, 27708-0346, USA). Organic Letters, 8(23), 5303-5305 (English) 2006. CODEN: ORLEF7. ISSN: 1523-7060. Publisher: American Chemical Society.

TI Room Temperature Hydroamination of N-Alkenyl Ureas Catalyzed by a Gold(I) N-Heterocyclic Carbene Complex

L8 ANSWER 2 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

145:369251 Design and synthesis of an orally active matrix metalloproteinase inhibitor. Yamamoto, Shingo; Nakatani, Shingo; Ikura, Masahiro; Sugiura, Tsuneyuki; Nishita, Yoshitaka; Itadani, Satoshi; Ogawa, Koji; Ohno, Hiroyuki; Takahashi, Kanji; Nakai, Hisao; Toda, Masaaki (Minase Research Institute, Ono Pharmaceutical Co., Ltd, 3-1-1 Sakurai, Shimamoto, Mishima, Osaka, 618-8585, Japan). Bioorganic & Medicinal Chemistry, 14(18), 6383-6403 (English) 2006. CODEN: BMECEP. ISSN: 0968-0896. Publisher: Elsevier B.V..

TI Design and synthesis of an orally active matrix metalloproteinase inhibitor

L8 ANSWER 3 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

144:292896 The first total synthesis of (+)-lagopodin A. Srikrishna, A.; Vasantha Lakshmi, B.; Ravikumar, P. C. (Department of Organic Chemistry, Indian Institute of Science, Bangalore, 560 012, India). Tetrahedron Letters, 47(8), 1277-1281 (English) 2006. CODEN: TELEAY. ISSN: 0040-4039. Publisher: Elsevier B.V..

TI The first total synthesis of (+)-lagopodin A

L8 ANSWER 4 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

144:191718 The effect of fluoromethyl groups on the diastereoselectivity in the electrophilic alkylation. Tamura, Kenji; Yamazaki, Takashi; Kitazume, Tomoya; Kubota, Toshio (Graduate School of Bioscience and Bioengineering, Tokyo Institute of Technology, Midori-ku, Yokohama, 226-8501, Japan). Journal of Fluorine Chemistry, 126(6), 918-930 (English) 2005. CODEN: JFLCAR. ISSN: 0022-1139. Publisher: Elsevier B.V..

TI The effect of fluoromethyl groups on the diastereoselectivity in the electrophilic alkylation

L8 ANSWER 5 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

143:422180 The first total synthesis of a bioactive metabolite, a spirobenzofuran isolated from the fungi Acremonium sp. HKI 0230. Srikrishna, A.; Lakshmi, B. Vasantha (Department of Organic Chemistry,

Indian Institute of Science, Bangalore, 560012, India). Tetrahedron Letters, 46(41), 7029-7031 (English) 2005. CODEN: TELEAY. ISSN: 0040-4039. Publisher: Elsevier B.V..

- TI The first total synthesis of a bioactive metabolite, a spirobenzofuran isolated from the fungi Acremonium sp. HKI 0230

L8 ANSWER 6 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

143:212028 Construction of vicinal quaternary carbon atoms by Ireland ester Claisen rearrangement: total synthesis of (+)-herbertenolide, (+)-herberteneacetal, (+)-herbertene-1,14-diol and (+)-herbertene-1,15-diol. Srikrishna, A.; Vasantha Lakshmi, B. (Department of Organic Chemistry, Indian Institute of Science, Bangalore, 560012, India). Tetrahedron Letters, 46(29), 4879-4881 (English) 2005. CODEN: TELEAY. ISSN: 0040-4039. Publisher: Elsevier B.V..

- TI Construction of vicinal quaternary carbon atoms by Ireland ester Claisen rearrangement: total synthesis of (+)-herbertenolide, (+)-herberteneacetal, (+)-herbertene-1,14-diol and (+)-herbertene-1,15-diol

L8 ANSWER 7 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

143:133546 Formal total synthesis of (+)-herbertene-1,13-diol and (+)- α -herbertenol via Ireland ester Claisen rearrangement and RCM reaction sequence. Srikrishna, A.; Lakshmi, B. Vasantha (Department of Organic Chemistry, Indian Institute of Science, Bangalore, 560012, India). Synlett (7), 1173-1175 (English) 2005. CODEN: SYNLES. ISSN: 0936-5214. Publisher: Georg Thieme Verlag.

- TI Formal total synthesis of (+)-herbertene-1,13-diol and (+)- α -herbertenol via Ireland ester Claisen rearrangement and RCM reaction sequence

L8 ANSWER 8 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

141:270996 Strategy in Inhibition of Cathepsin B, A Target in Tumor Invasion and Metastasis. Lim, In Taek; Meroueh, Samy O.; Lee, Mijoon; Heeg, Mary Jane; Mobashery, Shahriar (Department of Chemistry and Biochemistry and Walther Cancer Research Center, University of Notre Dame, Notre Dame, IN, 46556, USA). Journal of the American Chemical Society, 126(33), 10271-10277 (English) 2004. CODEN: JACSAT. ISSN: 0002-7863. Publisher: American Chemical Society.

- TI Strategy in Inhibition of Cathepsin B, A Target in Tumor Invasion and Metastasis

L8 ANSWER 9 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

139:345312 Synthesis and structure-antifungal activity relationships of 3-aryl-5-alkyl-2,5-dihydrofuran-2-ones and their carbanalogues: further refinement of tentative pharmacophore group. Pour, Milan; Spulak, Marcel; Balsanek, Vojtech; Kunes, Jiri; Kubanova, Petra; Buchta, Vladimir (Faculty of Pharmacy, Department of Inorganic and Organic Chemistry, Laboratory of Structure and Interactions of Biologically Active Molecules, Charles University, Hradec Kralove, CZ-500 05, Czech Rep.). Bioorganic & Medicinal Chemistry, 11(13), 2843-2866 (English) 2003. CODEN: BMECEP. ISSN: 0968-0896. Publisher: Elsevier Science Ltd..

- TI Synthesis and structure-antifungal activity relationships of 3-aryl-5-alkyl-2,5-dihydrofuran-2-ones and their carbanalogues: further refinement of tentative pharmacophore group

L8 ANSWER 10 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

139:285636 Structure-activity relationships of the peptide deformylase inhibitor BB-3497: modification of the methylene spacer and the P1' side chain. Davies, Stephen J.; Ayscough, Andrew P.; Beckett, R. Paul; Bragg,

Ryan A.; Clements, John M.; Doel, Sheila; Grew, Christine; Launchbury, Steven B.; Perkins, Gemma M.; Pratt, Lisa M.; Smith, Helen K.; Spavold, Zoe M.; Thomas, S. Wayne; Todd, Richard S.; Whittaker, Mark (British Biotech Pharmaceuticals Limited, Oxford, OX4 6LY, UK). Bioorganic & Medicinal Chemistry Letters, 13(16), 2709-2713 (English) 2003. CODEN: BMCLE8. ISSN: 0960-894X. Publisher: Elsevier Science B.V..

TI Structure-activity relationships of the peptide deformylase inhibitor BB-3497: modification of the methylene spacer and the P1' side chain

L8 ANSWER 11 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

138:385079 Sulfur-mediated radical cyclization reactions on solid support. Harrowven, David C.; May, Peter J.; Bradley, Mark (Department of Chemistry, The University of Southampton, Southampton, SO17 1BJ, UK). Tetrahedron Letters, Volume Date 2003, 44(3), 503-506 (English) 2002. CODEN: TELEAY. ISSN: 0040-4039. Publisher: Elsevier Science Ltd..

TI Sulfur-mediated radical cyclization reactions on solid support

L8 ANSWER 12 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

137:294931 2-(3-Aminopropyl)-4-pentenoic acid as a bio-compatible/cleavable linker for solid-phase organic synthesis. Guo, Mao-Jun; Varady, Laszlo (Applications Development, ArQule Inc., Woburn, MA, 01801, USA). Tetrahedron Letters, 43(20), 3677-3680 (English) 2002. CODEN: TELEAY. ISSN: 0040-4039. Publisher: Elsevier Science Ltd..

TI 2-(3-Aminopropyl)-4-pentenoic acid as a bio-compatible/cleavable linker for solid-phase organic synthesis

L8 ANSWER 13 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

136:340952 Design of a new macrocyclic sulfonamide peptidomimetics and synthesis of the precursors. Zhao, Bao-xiang; Blechert, Siegfried (School of Chemistry and Chemical Engineering, Shandong University, Jinan, 250100, Peop. Rep. China). Gaodeng Xuexiao Huaxue Xuebao, 22(12), 2045-2047 (Chinese) 2001. CODEN: KTHPDM. ISSN: 0251-0790. Publisher: Gaodeng Jiaoyu Chubanshe.

TI Design of a new macrocyclic sulfonamide peptidomimetics and synthesis of the precursors

L8 ANSWER 14 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

134:4683 Synthesis of monosubstituted succinic acids from tert-butyl succinate. Bergmeier, Stephen C.; Ismail, Khadiga A. (Division of Medicinal Chemistry and Pharmacognosy, College of Pharmacy, The Ohio State University, Columbus, OH, 43210-1291, USA). Synthesis (10), 1369-1371 (English) 2000. CODEN: SYNTBF. ISSN: 0039-7881. Publisher: Georg Thieme Verlag.

TI Synthesis of monosubstituted succinic acids from tert-butyl succinate

L8 ANSWER 15 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

133:120606 Asymmetric synthesis of protected α -alkyl β -amino δ -hydroxy esters by stereocontrolled elaboration of THYM. Guanti, Giuseppe; Moro, Alberto; Narisano, Enrica (Dip. Chim. Chim. Ind., Univ. Genova, Genoa, I-16146, Italy). Tetrahedron Letters, 41(17), 3203-3207 (English) 2000. CODEN: TELEAY. ISSN: 0040-4039. Publisher: Elsevier Science Ltd..

TI Asymmetric synthesis of protected α -alkyl β -amino δ -hydroxy esters by stereocontrolled elaboration of THYM

L8 ANSWER 16 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

132:207722 Stereoselective synthesis of enantiomerically pure 4,5-disubstituted pyrrolidinones from β -amino esters. Wang, Jianbo;

Hou, Yihua; Wu, Peng; Qu, Zhaohui; Chan, Albert S. C. (Department of Chemistry, Peking University, Beijing, 100871, Peop. Rep. China). Tetrahedron: Asymmetry, 10(23), 4553-4561 (English) 1999. CODEN: TASYE3. ISSN: 0957-4166. Publisher: Elsevier Science Ltd..

TI Stereoselective synthesis of enantiomerically pure 4,5-disubstituted pyrrolidinones from β -amino esters

L8 ANSWER 17 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

122:314541 Preparation of [(benzoxazolylamino)alkoxy]phenylalkanoates and analogs as hypoglycemics. Rami, Harshad Kantilal (Smithkline Beecham PLC, UK). PCT Int. Appl. WO 9503288 A1 19950202, 38 pp. DESIGNATED STATES: W: JP, US; RW: AT, BE, CH, DE, DK, ES, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE. (English). CODEN: PIXXD2. APPLICATION: WO 1994-EP2029 19940620. PRIORITY: GB 1993-15148 19930722.

TI Preparation of [(benzoxazolylamino)alkoxy]phenylalkanoates and analogs as hypoglycemics

~~L8 ANSWER 18 OF 27 CASREACT COPYRIGHT 2007 ACS on STN~~

118:124038 Synthesis of enantiomerically enriched α -trifluoromethylated acids, esters and ketones. Watanabe, Shoji; Shimada, Yoshiaki; Kitazume, Tomoya; Yamazaki, Takashi (Fac. Eng., Chiba Univ., Chiba, 263, Japan). Journal of Fluorine Chemistry, 59(2), 249-56 (English) 1992. CODEN: JFLCAR. ISSN: 0022-1139.

TI Synthesis of enantiomerically enriched α -trifluoromethylated acids, esters and ketones

L8 ANSWER 19 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

114:101618 Asymmetric synthesis of 5- and 6-membered lactones from cyclic substrates bearing a C2-chiral auxiliary. Yamamoto, Yukio; Sakamoto, Akio; Nishioka, Takaaki; Oda, Junichi; Fukazawa, Yoshimasa (College of Lib. Arts Sci., Kyoto Univ., Kyoto, 606, Japan). Journal of Organic Chemistry, 56(3), 1112-19 (English) 1991. CODEN: JOCEAH. ISSN: 0022-3263.

TI Asymmetric synthesis of 5- and 6-membered lactones from cyclic substrates bearing a C2-chiral auxiliary

L8 ANSWER 20 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

113:24454 Non-proteinogenic amino acid synthesis. The β -anion derived from aspartic acid, and its application to α -amino acid synthesis. Baldwin, Jack E.; Moloney, Mark G.; North, Michael (Dyson Perrins Lab., Univ. Oxford, Oxford, OX1 3QY, UK). Tetrahedron, 45(19), 6309-18 (English) 1989. CODEN: TETRAB. ISSN: 0040-4020.

TI Non-proteinogenic amino acid synthesis. The β -anion derived from aspartic acid, and its application to α -amino acid synthesis

~~L8 ANSWER 21 OF 27 CASREACT COPYRIGHT 2007 ACS on STN~~

112:7865 Asymmetric amino acid synthesis: preparation of the β anion derived from aspartic acid. Baldwin, Jack E.; Moloney, Mark G.; North, Michael (Dyson Perrins Lab., Univ. Oxford, Oxford, OX1 3QY, UK). Journal of the Chemical Society, Perkin Transactions 1: Organic and Bio-Organic Chemistry (1972-1999) (4), 833-4 (English) 1989. CODEN: JCPRB4. ISSN: 0300-922X.

TI Asymmetric amino acid synthesis: preparation of the β anion derived from aspartic acid

L8 ANSWER 22 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

111:214336 Preparative bioorganic chemistry. XI. Preparation of the enantiomers of paraconic acid employing lipase-mediated asymmetric

hydrolysis of prochiral diacetates as the key step. Mori, Kenji; Chiba, Naoki (Dep. Agric. Chem., Univ. Tokyo, Tokyo, 113, Japan). Liebigs Annalen der Chemie (10), 957-62 (English) 1989. CODEN: LACHDL. ISSN: 0170-2041.

TI Preparative bioorganic chemistry. XI. Preparation of the enantiomers of paraconic acid employing lipase-mediated asymmetric hydrolysis of prochiral diacetates as the key step

L8 ANSWER 23 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

111:58131 Syntheses of 20'-deoxyvinblastine, 20'-deoxyleurosidine, 20'-deoxyvincovaline, 20'-epi-20'-deoxyvincovaline, and 20'-deoxyvincristine and its 20'-epimer through racemic and enantioselectively generated intermediates. New syntheses of D/E-cis- and trans- Ψ -vincadifformines and D/E-cis- and -trans-20-epi- Ψ -vincadifformines. Kuehne, Martin E.; Bornmann, William G. (Dep. Chem., Univ. Vermont, Burlington, VT, 05405, USA). Journal of Organic Chemistry, 54(14), 3407-20 (English) 1989. CODEN: JOCEAH. ISSN: 0022-3263.

TI Syntheses of 20'-deoxyvinblastine, 20'-deoxyleurosidine, 20'-deoxyvincovaline, 20'-epi-20'-deoxyvincovaline, and 20'-deoxyvincristine and its 20'-epimer through racemic and enantioselectively generated intermediates. New syntheses of D/E-cis- and trans- Ψ -vincadifformines and D/E-cis- and -trans-20-epi- Ψ -vincadifformines

L8 ANSWER 24 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

108:167246 Synthesis and reactivity of methyl γ -azidobutyrate and ethyl δ -azidovalerate and of the corresponding acid chlorides as useful reagents for the aminoalkylation. Khoukhi, N.; Vaultier, M.; Carrie, R. (Groupe Physicochim. Struct., Univ. Rennes I, Rennes, 35042, Fr.). Tetrahedron, 43(8), 1811-22 (English) 1987. CODEN: TETRAB. ISSN: 0040-4020.

TI Synthesis and reactivity of methyl γ -azidobutyrate and ethyl δ -azidovalerate and of the corresponding acid chlorides as useful reagents for the aminoalkylation

L8 ANSWER 25 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

102:184947 Enol ethers. XVI. Synthesis of 4-hydroxy-2H-pyran-2-ones. Effenberger, Franz; Ziegler, Thomas; Schoenwaelder, Karl Heinz (Inst. Org. Chem., Univ. Stuttgart, Stuttgart, 7000/80, Fed. Rep. Ger.). Chemische Berichte, 118(2), 741-52 (German) 1985. CODEN: CHBEAM. ISSN: 0009-2940.

TI Enol ethers. XVI. Synthesis of 4-hydroxy-2H-pyran-2-ones

L8 ANSWER 26 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

85:32383 Synthesis of δ -lactones. V. Synthesis of 3-alkyl δ -lactones. Kurata, Kumiko; Tanaka, Shigeru; Takahashi, Kiyoshi (Meiji Pharm. Coll., Tanashi, Japan). Chemical & Pharmaceutical Bulletin, 24(3), 538-40 (French) 1976. CODEN: CPBTAL. ISSN: 0009-2363.

TI Synthesis of δ -lactones. V. Synthesis of 3-alkyl δ -lactones

L8 ANSWER 27 OF 27 CASREACT COPYRIGHT 2007 ACS on STN

80:120746 Pesticidal aromatic and alicyclic substituted acetates. (Sumitomo Chemical Co., Ltd.). Ger. Offen. DE 2335347 19740214, 176 pp. (German). CODEN: GWXXBX. APPLICATION: DE 1973-2335347 19730711.

TI Pesticidal aromatic and alicyclic substituted acetates

=> log hold

COST IN U.S. DOLLARS

SINCE FILE
ENTRY

TOTAL
SESSION



FULL ESTIMATED COST

30.96

163.05

SESSION WILL BE HELD FOR 120 MINUTES

STN INTERNATIONAL SESSION SUSPENDED AT 14:52:39 ON 21 MAY 2007

AK² CB¹7² 6¹

chain nodes :

1 2 3 4 5 6 7 11 12 13 14

chain bonds :

1-2 2-3 3-4 4-5 4-11 5-12 5-13 13-14

exact/norm bonds :

2-3 3-4 4-5 4-11 5-12 5-13

exact bonds :

1-2 13-14

G1:[*1],[*2]


Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:Atom 7:CLASS 11:CLASS
12:CLASS 13:CLASS 14:CLASS


Generic attributes :

6:
Saturation : Unsaturated
7:
Saturation : Saturated

$\text{Ak}^{\theta 2}$
 $\text{Cb}^{\theta 1}$



$7^{\theta 2}$
 $6^{\theta 1}$



chain nodes :

1 2 3 4 5 6 7 11 12 13 14

chain bonds :

1-2 2-3 3-4 4-5 4-11 5-12 5-13 13-14

exact/norm bonds :

2-3 3-4 4-5 4-11 5-12 5-13 13-14

exact bonds :

1-2

G1:[*1],[*2]

Match level :

1:CLASS 2:CLASS 3:CLASS 4:CLASS 5:CLASS 6:Atom 7:CLASS 11:CLASS
12:CLASS 13:CLASS 14:CLASS

Generic attributes :

6:
Saturation : Unsaturated
7:
Saturation : Saturated